

2017 WHEEL CATALOG

enkei.com | instagram.com/EnkeiWheels | facebook.com/EnkeiWheels





World Leader in Street and Race Wheels

Custom aftermarket wheels are as much a part of who we are as the clothes we wear, the vehicles we drive and of course the performance that we expect. ENKEl custom wheels deliver the latest in wheel designs, composite alloy technology such as, casting/forged processes, rigid testing that must pass stringent JGTC Standards and unsurpassed manufacturing facilities. Enkei is dedicated to perfection and delivers the best in aftermarket wheels.

Today, the Enkei group is commercially active throughout Asia, North America, Latin America and Europe, supplying all the largest Japanese car manufacturers and General Motors in the OEM market, as well as countless consumers in the automotive aftermarket. Enkei also produces sophisticated high-tech race wheels for a variety of motorsport, including rallying, drift, sportscar racing and single-seater racing including supplying lightweight magnesium Formula 1 race wheels to Vodafone McLaren Mercedes. Enkei has been an Official Supplier to Vodafone McLaren F1 Team since 1995.

ENKEL MOTORSPORTS

Enkei has been racing in top competition championships of the world for three decades. As a result of continuous improvement and technological advances, Enkei continues its winning tradition and constantly challenges new horizons in wheel technology.



ONE STEP FORWARD

Since its formation in 1950, Enkei's history has been continuous challenges and adventures to deliver the most innovative and the highest quality wheels to top racers and car enthusiasts. Today, Enkei has grown to be the number one aluminum wheel manufacturer to satisfy demand from leading automakers and aftermarket wheel users around the world. One step forward. With its courage to take the next step ahead of others, Enkei continues to strive to exceed the expectations of the most demanding drivers.

ENKEI WORLD COMPANIES

ENKEL AMERICA (Indiana, Florida, U.S.)

ENKEI AMERICA MOLDINGS (Indiana, U.S.)

ENKEI INTERNATIONAL (Texas, U.S.)

ENKELTHAL

ENKEI THAI MOLDINGS

ENKEI MALAYSIA

ENKEI ALUMINIUM PRODUCTS (CHINA)

ENKEI MOLDINGS (Kunshan, CHINA)

ENKEI ALUMINIUM (Guangdong, CHINA)

ENKELINDONESIA

PT. ENKEI MARUTOYO PAINTING (INDONESIA)

ENKEL PHILIPPINES

ENKEI WHEELS (INDIA)

ENKEI VIETNAM

JAPAN

ENKEL CORPORATION (HEAD OFFICE)

ENKEI WHEEL CORPORATION (MAUFACTURING)

ENKELENGINNERING

ENBISHI ALUMINIUM WHEELS

ENKEL AUTOMOTIVE

ENKEL PAINTING

ENKEI MAKABE

ENKEI METALS

ENKELTEST AND LABORATORY

ENKEL AUTO ACTIVITY

ENKEI LOGISPORT

ENKEI RELATION (OPERATION)

ENKEL AUDIT AND COMPUTER SERVICES



INDEX BY WHEEL MODEL NUMBER

000	TVT CO + IVI (I lacing)10
379	RPF1(Racing)12
409	J10 (Performance)42
429	GTC01 (Racing)14
434	FD-05 (Performance)42
441	EDR9 (Performance)39
442	EKM3 (Performance)41
446	EV5 (Performance)39
448	GW8 (Performance)37
460	PF01 (Racing)09
463	RC-G4 (Racing)11
464	J-SPEED (Classic)43
465	ENKEl92 (Classic)43
467	RAIJIN (Tuning)26
468	FUJIN (Tuning)26
469	LUSSO (Performance)38
471	APACHE II (Classic)44
470	ST6 (Truck/SUV)42
470	DSMO (Pacina) 13

475	SVX (Performance)40
476	KOJIN (Tuning)24
477	COMPE (Classic)44
478	TENJIN (Tuning)25
479	RSF5 (Performance)38
480	M52 (Performance)37
482	M6 (Truck/SUV)46
484	RS05RR (Racing)07
485	T6S (Tuning)20
486	TSP6 (Tuning)23
487	VR5 (Performance)35
488	GT7 (Performance)35
489	PF01 EVO (Racing)07
490	PF07 (Racing)11
491	TX5 (Tuning)21
492	TS9 (Tuning)22
493	PSR5 (Performance)33
494	YS5 (Performance)32
405	011)//5 /

497	TSP-5 (Tuning)	17
498	TY-5 (Tuning)	19
499	TS-10 (Tuning)	18
500	PW10 (Performance)	34
501	PFS (Performance)	30
502	PDC (Performance)	34
503 I	BLACKHAWK (Truck)	46
504 (GTC01RR(Racing)	06
505 (ONX (Performance)	31
506 2	X-OVER (Performance)	36
507	TM-7(Tuning)	15
508	TD-5 (Tuning)	16
509 I	DRACO (Performance)	27
510	VORTEX5 (Performance)	29
511 8	SS05 (Performance)	28
512 l	NT03RR(Racing)	05

Engineering Philosophy

What is the most important consideration when building a wheel? What specifications does a performance wheel require? In general, the most recognizable performance aspect for users is light weight. You will know the weight difference by simply picking up a wheel. Most drivers can also feel the difference in steering response. Since an automobile wheel is a rolling object, the lightness of the wheel plays into the inertial weight. Enkei's focus is not limited to the lightness, however. To attain maximum wheel performance, Enkei also focuses on stiffness and strength.

A high quality wheel requires all three elements: light weight, stiffness, and strength.

STIFFNESS

Stiffness is the basis of wheel performance. What is "stiffness"? If a rim is stiff, it will resist deformation when it is subjected to force. Although we consider metal as "hard", metal does have a tendency to deform when force is applied and return to the original shape when the force is eliminated. Stiffness is often confused with strength, but it is different as strength is a measure of tendency toward breakability. To make the best out of today's high-performance tire, wheels need to have high stiffness to keep the proper connection between the chassis and tires. On the other hand, wheels with low-stiffness could easily be deformed by the load from the tires. Enkei recognizes stiffness is the most important element for high performance wheels.

ALUMINUM EXPLAINED: PRODUCTION METHODS WILL NOT AFFECT STIFFNESS

How can we increase the stiffness of wheels? As long as wheels are made of aluminum alloy, using a different production method does not affect the stiffness of the wheel. That's because all aluminum alloys used for forging and casting create same material property with identical stiffness.

Comparison of Wrought aluminum alloy and Cast aluminum alloy

Material	Specific gravity	Young's modulus*
Wrought aluminum alloy	2.70MG/cm3	70GPa
Cast alunimum alloy	2.68MG/cm3	70GPa

acting on a substance to the strain produced.

rials. However, when forged and cast aluminum alloys are measured by the Young's modulus, it shows almost no difference between two methods. Forged and casted aluminum alloys are nearly identical in specific gravity as well. Therefore, if you make an exact same shape of wheels using forging and casting method, the weight of those wheels should be the same. What is the advantage of the forging process, then? It is an ability to produce higher material strength.

Generally speaking, compared with casting, forged material is superior in yield strength and tensile strength. However, no matter how great the material strength, it cannot justify an extreme reduction in weight.

Even with adequate material strength, if wheels lack stiffness, they cannot perform properly even with high-performance tires.



DURVILLE DIE CASTING & MAT PROCESS

Enkei has adopted two technologies – the Durville die casting and MAT process that ensure cast aluminum wheels have strength comparable to forged ones. In the Durville process, molten aluminum alloy is poured into the mold from its inner rim side, with the disc side facing downward. The alloy is rapidly quenched and solidifies, starting at the disc side, creating a finer metallic structure, significantly enhancing tensile strength, yield strength and elongation.

In the MAT process, the wheel rim placed on a mandrel is spun and rolled. This spinning process creates "metal flow" in the metal structure of the aluminum alloy, which is similar to the metal property seen in the forging process.

This hybrid process of casing and gir., gired eel high material strength while keep manufacturing cost more affordable than forged wheels. Additionally, it gives greater freedom of design on the wheel face.

DESIGN CAPABILITY BEHIND THE BEST WHEELS

How does Enkei ensure its wheels have high stiffness? The answer is Enkei's "Design Capability".

To maintain high stiffness under great force, the wheel's cross sectional area in the direction against the force applied needs to be enlarged. Unfortunately, the larger this area is, the heavier the wheel will get. However, if the layout, cross sectional shape of the spokes and the rim profile are designed properly, the wheel can maintain high stiffness without adding weight.

The layout is made possible by Enkei's vast accumulation of wheel design data and the computer aided engineering 3D simulation. In addition, Enkei strives for the largest possible weight reduction by identifying the wheel portions where stress concentration is least likely to occur and shaving down areas that do not affect stiffness.

Enkei's processing techniques ensure the "strength" of its wheels, and its excellent design capability ensures "stiffness" and "lightness." Enkei's design capability is the most-treasured asset and essential for developing the highest performance wheels.

SPEC-E

All Enkei wheels are engineered to pass rigorous testing. In fact, Enkei established its own test standard called "Spec-E," which is tougher than JWL requirements. Enkei's Spec-E test setting requires a higher drop point in the impact test and 20% more cycles for the rotary bending fatigue and dynamic radial fatigue tests than JWL standards. The Spec-E standard shows Enkei's confidence in its technology and the quality of Enkei wheels.

ENKEI HERITAGE

Enkei started in Japan as "Enshu Keigokin Co. Ltd.", which translates as "light alloy of the Province of Enshu." Enkei's technical knowledge, developed through the manufacturing of aircraft parts, was later utilized in the initial development of aluminum motorcycle and automobile engines. Today Enkei has established itself as a pioneer of aluminum wheel manufacturing. As the recognized global leader of alloy wheel production, Enkei delivers more than 16,000,000 wheels a year and has manufacturing facilities in Japan, the United States, and many Southeast Asian countries. With new horizons to be conquered, Enkei will always continue to move "one step forward."



RACING SERIES

Introducing Enkei's Racing Series. Enkei's experience in producing wheels for racecars is unrivaled. Enkei is actively involved in supplying wheels for Formula 1, WRC, Japan GT Championship, Super Taikyu, Formula Drift and many others. The racetrack is our laboratory. We've taken what we've learned in racing and are proud to offer the same technology found on racetracks all over the world to auto enthusiasts looking for a no compromise wheel solution for their cars. Enkei's state of the art facilities in Japan utilize MAT technology to achieve the ultimate in lightness and strength for our racing series wheels, while maintaining excellent value. When you demand the very best, look no further than Enkei's racing series.

MOST ADVANCED TECHNOLOGY

Enkei developed a new manufacturing process to produce the next generation of aluminum wheels. Most Advanced Technology (MAT) combines one-piece cast wheel technology with a rim-forming "spinning" technique. Use of this new technology of casting and rim forming, is critical to drastically improve the material properties and strength of wheels. In addition, Enkei's rim-rolled technology shapes the rim to improve material elongation without sacrificing the wheel's hardness.

Racing Revolution



Matte Gunmetal

NT03RR

17, 18 - Racing Series

PART NO. Stock Code	S	IZE	INSET	BOLT PATTERN	BORE DIAMETER	FACE	Cap#	FINISH
512-770-6548GM		_	48	5x114.3	75.0	F	A484-CAPBK	
512-770-8040GM		7	40	5x100	75.0	F	A484-CAPBK-AD	1
512-775-6535GM			35	5x114.3	75.0	F	A484-CAPBK	
512-775-6550GM		7.5	50	5x114.3	75.0	F	A484-CAPBK	
512-775-8040GM			40	5x100	75.0	F	A484-CAPBK-AD	1
512-780-1245GM			45	5x120	72.5	F	A484-CAPBK-BMW	
512-780-4445GM			45	5x112	66.5	F	A484-CAPBK-AD	
512-780-6535GM		8	35	5x114.3	75.0	F	A484-CAPBK	
512-780-6548GM			48	5x114.3	75.0	F	A484-CAPBK	1
512-780-8048GM	17		48	5x100	75.0	F	A484-CAPBK-AD	
512-790-1250GM			50	5x120	72.5	R	A484-CAPBK-BMW	
512-790-4450GM			50	5x112	66.5	R	A484-CAPBK-AD	
512-790-6512GM			12	5x114.3	75.0	R	A484-CAPBK	
512-790-6535GM			35	5x114.3	75.0	R	A484-CAPBK	
512-790-6545GM		9	45	5x114.3	75.0	R	A484-CAPBK	
512-790-6563GM			63	5x114.3	75.0	F	A484-CAPBK	
512-790-8040GM			40	5x100	75.0	R	A484-CAPBK-AD	
512-790-8052GM			52	5x100	75.0	F	A484-CAPBK	
512-880-1234GM			34	5x120	72.5	F	A484-CAPBK-BMW	
512-880-4445GM			45	5x112	66.5	F	A484-CAPBK-VW	
512-880-6545GM		8	45	5x114.3	75.0	F	A484-CAPBK	
512-880-8045GM			45	5x100	75.0	F	A484-CAPBK-AD	
512-885-1230GM			30	5x120	72.5	F	A484-CAPBK-BMW	
512-885-1247GM			47	5x120	72.5	F	A484-CAPBK-BMW	MATTE
512-885-4445GM			45	5x112	66.5	F	A484-CAPBK-VW	GUNMETAL
512-885-6535GM		8.5	35	5x114.3	75.0	F	A484-CAPBK	
512-885-6542GM			42	5x114.3	75.0	F	A484-CAPBK	
512-885-8042GM			42	5x100	75.0	F	A484-CAPBK-AD	
512-890-1245GM			45	5x120	72.5	М	A484-CAPBK-BMW	
512-890-4445GM			45	5x112	66.5	М	A484-CAPBK-AD	
512-890-6527GM			27	5x114.3	75.0	М	A484-CAPBK	
512-890-6540GM		9	40	5x114.3	75.0	М	A484-CAPBK	
512-890-6545GM	18		45	5x114.3	75.0	М	A484-CAPBK	
512-890-8040GM			40	5x100	75.0	М	A484-CAPBK-AD	
512-895-1222GM			22	5x120	72.5	М	A484-CAPBK-BMW	
512-895-1245GM			45	5x120	72.5	М	A484-CAPBK-BMW	
512-895-4445GM			45	5x112	66.5	М	A484-CAPBK-AD	
512-895-6515GM		9.5	15	5x114.3	75.0	R	A484-CAPBK	
512-895-6527GM			27	5x114.3	75.0	М	A484-CAPBK	
512-895-6540GM			40	5x114.3	75.0	М	A484-CAPBK	
512-895-8046GM			46	5x100	75.0	M	A484-CAPBK-AD	
512-810-6522GM			22	5x114.3	75.0	R	A484-CAPBK	
512-810-6538GM		10	38	5x114.3	75.0	R	A484-CAPBK	
512-8105-1223GM			23	5x120	72.5	R	A484-CAPBK-BMW	
512-8105-6515GM		10.5	15	5x114.3	75.0	R	A484-CAPBK	
512-8105-6525GM		. 0.3	25	5x114.3	75.0	R	A484-CAPBK	
512-8110-6515GM		11	15	5x114.3	75.0	R	A484-CAPBK	
								l



Racing Revolution





Titanium Gold (Limited Sizes / Special Order)

GTC01RR


18 - Racing Series

The GTC01RR is made after one of our strongest wheels, the GTC01. After vast research, we were able to keep the high rigidity while making it light weight, comparable to the RPF1. The GTC01RR has been tested in high performance categories including cornering, braking, acceleration, deceleration, and steering response. The GTC01RR is available in three different concave faces as displayed below.

PART NO. Stock Code	:	SIZE	INSET	BOLT PATTERN	BORE DIAMETER	WEIGHT (lbs.)	FACE	Cap #	FINISH										
504-885-1235GM			35	5x120	72.5	N.A.	F	A484-CAPBK-BMW											
504-885-4435GM			35	5x112	66.5	N.A.	F	A484-CAPBK-MB											
504-885-4445GM			45	5x112	66.5	19.42	F	A484-CAPBK-MB											
504-885-4535GM	1	8.5	35	5x112	66.5	N.A.	F	A484-CAPBK-VW											
504-885-4545GM		8.5	45	5x112	66.5	N.A.	F	A484-CAPBK-VW											
504-885-4635GM	1		35	5x112	66.5	N.A.	F	A484-CAPBK-AD											
504-885-6542GM			42	5x114.3	75.0	N.A.	F	A484-CAPBK											
504-885-8042GM			42	5x100	75.0	N.A.	F	A484-CAPBK-AD											
504-890-1250GM			50	5x120	72.5	19.51	F	A484-CAPBK-BMW											
504-890-6525GM			25	5x114.3	75.0	N.A.	F	A484-CAPBK											
504-890-6535GM		9	35	5x114.3	75.0	N.A.	F	A484-CAPBK											
504-890-6540GM			40	5x114.3	75.0	N.A.	F	A484-CAPBK											
504-890-8040GM			40	5x100	75.0	N.A.	F	A484-CAPBK-AD											
504-895-1222GM			22	5x120	72.5	N.A.	М	A484-CAPBK-BMW											
504-895-1235GM	18		35	5x120	72.5	N.A.	M	A484-CAPBK-BMW											
504-895-4445GM			45	5x112	66.5	20.37	М	A484-CAPBK-MB	MATTE GUNMETAL										
504-895-4545GM		9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	45	5x112	66.5	20.37	М	A484-CAPBK-VW	CONNETAL			
504-895-4645GM	9.5									9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5
504-895-6522GM			22	5x114.3	75.0	N.A.	M	A484-CAPBK											
504-895-6535GM						35	5x114.3	75.0	N.A.	М	A484-CAPBK								
504-895-6545GM			45	5x114.3	75.0	N.A.	М	A484-CAPBK											
504-895-80 ³⁵ GM			35	5x100	75.0	N.A.	М	A484-CAPBK-AD											
504-810-6522GM		10	22	5x114.3	75.0	21.05	R	A484-CAPBK											
504-810-6530GM		10	30	5x114.3	75.0	21.36	М	A484-CAPBK											
504-8105-1223GM			23	5x120	72.5	N.A.	R	A484-CAPBK-BMW											
504-8105-6515GM			15	5x114.3	75.0	N.A.	R	A484-CAPBK											
504-8105-6522GM		10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5	22	5x114.3	75.0	22.57	M	A484-CAPBK			
504-8105-6525GM			25	5x114.3	75.0	N.A.	R	A484-CAPBK											
504-8105-6535GM			35	5x114.3	75.0	21.27	R	A484-CAPBK											
504-8110-1230GM		11	30	5x120	72.5	22.11	R	A484-CAPBK-BMW											
504-8110-6516GM		''	16	5x114.3	75.0	N.A.	R	A484-CAPBK											

Valve # V429-0000BK FACE design: F= front face, M= middle face, R= rear face. Rear face is most concaved desi















er (Lim

SPEC-**E**

White (Limited Sizes)

18 - Racing Series

Designed to look incredible while retaining Enkei's racing spirit & functionality. The light weight RS05RR is made using Enkei's MAT-DURA flow forming method. With the RS05RR, there's no need to choose between form or function, you can simply have both. Made in 18x8.5-18x11 with 3 different concave face designs. In Silver or Matte Gunmetal.

Stock Code Coumbetal Silver Street Class Cla	PART	NO.		٥	IZE	INSET	BOLT	BORE	WEIGHT	FACE	Cap #	FINISH
## ## ## ## ## ## ## ## ## ## ## ## ##	Stock Code	Gunmetal	Silver	٥	IZL	IIVOLI	PATTERN	DIAMETER	(lbs.)	FACE	Cap #	LIMIOLI
## ## ## ## ## ## ## ## ## ## ## ## ##	484-885-1235	GM	SP			35	5X120	72.5	N.A.	F	A484-CAPBK/SP-BMW	
## 84-885-455 GM SP ## 84-885-455 GM SP ## 84-885-8042 GM SP ## 84-890-6525 GM SP ## 84-890-6	484-885-4435	GM	SP			35	5X112	66.5	N.A.	F	A484-CAPBK/SP-MB	
A84-885-4635 GM SP	484-885-4445	GM	SP			45	5X112	66.5	18.07	F	A484-CAPBK/SP-MB	
484-885-4645 GM SP 484-885-8042 GM SP 484-885-8050 GM SP 484-885-8050 GM SP 484-890-6525 GM SP 484-890-6525 GM SP 484-890-6535 GM SP 484-890-6535 GM SP 484-890-6540 GM SP 484-895-4045 GM SP 484-895-4045 GM SP 484-895-4045 GM SP 484-895-4045 GM SP 484-895-622 GM SP 484-895-6525 GM SP 484-895-6526 G	484-885-4535	GM	SP		0.5	35	5X112	66.5	N.A.	F	A484-CAPBK/SP-VW	
484-885-8042 GM SP	484-885-4545	GM	SP		6.5	45	5X112	66.5	18.07	F	A484-CAPBK/SP-VW	
\$484-885-8050 GM SP	484-885-4635	GM	SP			35	5X112	66.5	N.A.	F	A484-CAPBK/SP-AD	
\$484-890-1250 GM SP	484-885-8042	GM	SP			42	5X100	75	N.A.	F	A484-CAPBK/SP-AD	
484-890-6525 GM SP 484-890-6535 GM SP 484-890-6540 GM SP 484-890-6540 GM SP 484-890-6540 GM SP 484-895-1222 GM SP 484-895-1225 GM SP 484-895-1235 GM SP 484-895-4445 GM SP 484-895-4445 GM SP 484-895-4645 GM SP 484-895-6422 GM SP 484-895-6522 GM SP 484-895-6522 GM SP 484-895-6525 GM	484-885-8050	GM	SP			50	5X100	75	18.12	F	A484-CAPBK/SP-AD	
484-890-6535 GM SP 484-890-6540 GM SP 484-890-6540 GM SP 484-890-6540 GM SP 484-895-6401 GM SP 484-895-1222 GM SP 484-895-1225 GM SP 484-895-1255 GM SP 484-895-4445 GM SP 484-895-4445 GM SP 484-895-4645 GM SP 484-895-6455 GM SP 484-895-6535 GM SP 484-895-8043 GM SP 484-895-8043 GM SP 484-895-8050 GM SP 484-895-8050 GM SP 484-895-80510 GM SP 484-895-80510 GM SP 484-8105-6520 GM SP 484-8105-6522 GM SP 484-8105-6522 GM SP 484-8105-6525 GM SP 484-8105-6526 GM SP 484-8105-6527 GM SP 484-8105-6528 GM SP 484-8105-6529 GM SP 484-8105-6520 G	484-890-1250	GM	SP			50	5X120	72.5	18.82	F	A484-CAPBK/SP-BMW	
484-890-6540 GM SP	484-890-6525	GM	SP			25	5X114.3	75	N.A.	F	A484-CAPBK/SP	
484-890-8040 GM SP 484-895-1222 GM SP 484-895-1235 GM SP 484-895-1235 GM SP 484-895-4445 GM SP 484-895-4445 GM SP 484-895-4445 GM SP 484-895-4455 GM SP 484-895-6522 GM SP 484-895-6523 GM SP 484-895-6525 GM SP 484-895-6523 GM SP 484-895-6525 GM SP 484-895-6522 GM SP 484-895-6522 GM SP 484-895-6522 GM SP 484-895-6523 GM	484-890-6535	GM	SP		9	35	5X114.3	75	N.A.	F	A484-CAPBK/SP	
A84-895-1222 GM SP	484-890-6540	GM	SP			40	5X114.3	75	N.A.	F	A484-CAPBK/SP	
## 48-895-1222 GM SP	484-890-8040	GM	SP			40	5x100	75	N.A.	F	A484-CAPBK/SP-AD	
484-895-1235 GM SP 484-895-44445 GM SP 484-895-44445 GM SP 484-895-44545 GM SP 484-895-4645 GM SP 484-895-6465 GM SP 484-895-6535 GM SP 484-895-6635 GM SP 484-895-6630 GM SP 484-810-6520 GM SP 484-810-6530 GM SP 484-810-6550 GM SP 484-810-6550 GM SP 484-810-6530 GM SP 484-810-6531 GM SP 484-810-6532 GM SP 484-810-6535 GM SP 484-810-65622 GM SP	484-895-1222	GM	SP			22	5X120	72.5	N.A.	M	A484-CAPBK/SP-BMW	
484-895-4445 GM SP 484-895-4545 GM SP 484-895-6456 GM SP 484-895-6622 GM SP 484-895-6033 GM SP 484-810-6522 GM SP 484-810-6525 GM SP	484-895-1235	GM	SP	40		35	5X120	72.5	N.A.	M	A484-CAPBK/SP-BMW	
484-895-4645 GM SP 484-895-4645 GM SP 484-895-4645 GM SP 484-895-6622 GM SP 484-895-6635 GM SP 484-895-8043 GM SP 484-810-6520 GM SP 484-810-6530 GM SP 484-810-6530 GM SP 484-8105-6522 GM SP 484-8105-6525 GM SP 484-8105-6522 GM SP 484-8105-6525 GM SP 484-8105-6523 GM SP 484-8105-6525 GM SP 484-8105-6520 GM SP 484-8105-6523 GM SP 484-8105-6526 GM SP 484-8105-6527 GM SP 484-8105-6526 GM SP 484-8105-6527 GM SP 484-8105-6529 GM SP 484-8105-6520 GM S	484-895-4445	GM	SP	10		45	5X112	66.5	19.29	M	A484-CAPBK/SP-MB	
484-895-4645 GM SP	484-895-4545	GM	SP		0.5	45	5X112	66.5	19.29	M	A484-CAPBK/SP-VW	
A84-895-6535 GM SP	484-895-4645	GM	SP		9.5	45	5X112	66.5	19.29	M	A484-CAPBK/SP-AD	
484-895-8043 GM SP	484-895-6522	GM	SP			22	5x114.3	75	N.A.	M	A484-CAPBK/SP	
10 22 5x114.3 75 19.81 R A484-CAPBK/SP	484-895-6535	GM	SP			35	5x114.3	75	N.A.	M	A484-CAPBK/SP	
484-810-6530 GM SP 484-8105-1223 GM SP 484-8105-6525 GM SP 484-810	484-895-8043	GM	SP			43	5x100	75	N.A.	M	A484-CAPBK/SP-AD	
484-8105-630 GM SP 484-8105-623 GM SP 484-8105-6515 GM SP 484-8105-6525 GM SP 484-8105-6525 GM SP 484-8105-6525 GM SP 484-8105-6536 GM SP	484-810-6522	GM	SP		40	22	5x114.3	75	19.81	R	A484-CAPBK/SP	
484-8105-6515 GM SP	484-810-6530	GM	SP		10	30	5x114.3	75	20.43	M	A484-CAPBK/SP	
484-8105-6522 GM SP 484-8105-6525 GM SP 484-8105-6535 GM SP 484-8101-6535 GM SP 484-8101-6535 GM SP 484-8101-6535 GM SP 484-8110-1230 GM SP 484-81	484-8105-1223	GM	SP			23	5x120	72.5	N.A.	R	A484-CAPBK/SP-BMW	
484-8105-6525 GM SP 25 5x114.3 75 N.A. R A484-CAPBK/SP 484-8105-6535 GM SP 35 5x114.3 75 19.7 R A484-CAPBK/SP 484-8110-1230 GM SP 30 5X120 72.5 20.54 R A484-CAPBK/SP-BMW	484-8105-6515	GM	SP	1		15	5x114.3	75	N.A.	R	A484-CAPBK/SP	
484-8105-6535 GM SP 35 5x114.3 75 19.7 R A484-CAPBK/SP 484-8110-1230 GM SP 11 30 5X120 72.5 20.54 R A484-CAPBK/SP-BMW	484-8105-6522	GM	SP	1	10.5	22	5x114.3	75	21.25	M	A484-CAPBK/SP	
484-8110-1230 GM SP 11 30 5X120 72.5 20.54 R A484-CAPBK/SP-BMW	484-8105-6525	GM	SP			25	5x114.3	75	N.A.	R	A484-CAPBK/SP	
	484-8105-6535	GM	SP	1		35	5x114.3	75	19.7	R	A484-CAPBK/SP	
404 0440 CE4C CM CD 4C 5:444.2 75 N.A. D 4404 CARDIVID	484-8110-1230	GM	SP	1	44	30	5X120	72.5	20.54	R	A484-CAPBK/SP-BMW	
404-0110-0310 GW SP 10 3X114.3 /5 N.A. R A484-CAPBK/SP	484-8110-6516	GM	SP	1	11	16	5x114.3	75	N.A.	R	A484-CAPBK/SP	

Valve # V429-0000SP (Silver), V429-0000BK (Black)





SBK



Pearl White

Matte Black



WP

WP

WP

WP

WP WP

WP

SBK

9.5 18 SBK

BK

BK WP

BK

BK

BK

BK

BK WP

489-790-6500

489-790-6512

489-795-6522

489-795-6535

489-895-6500

489-8105-651

489-795-6500 BK

489-890-6525 BK

489-890-6545 BK

The PF01EVO wheel adopts ENKEl's proprietary MAT process technology to ensure both the high rigidity and lightness required for an uncompromising sport wheel.

5X114.3

5X114.3

5X114 3

5X114.3

5X114.3

5X114.3

5X114.3

5X114.3

5X114.3

5X120

5X114.3

5X114.3

5X114.3

5X114.3

5X114.3

19.00

19.00

19.05

19.05

19.05

18.50

18.50

18.50

19.10

19.85

19.85

19.10

19.85

19.85

19.85

20.65

MATTE

BLACK,

PEARL


WHITE. OR SBK

75

75











Matte Black (Limited Sizes)

WIDE APPLICATION

Responding to popular demand, the PF01 offers a wide variety of applications ranging from 15x7 through 18x10.5. This wheel also has a large brake caliper clearance to meet car enthusiasts' needs.

ROULETTE PATTERN

Our unique roulette pattern is grooved on the rim to reduce the slippage ratio between tire and rim. The roulette-pattern maintains the best condition of the wheel and tire assembly, thus achieving the highest performance during extreme acceleration and deceleration. The roulette pattern is also used for McLaren Mercedes Formula One racing wheels.







460-570-4941SP 15	460-570-4935SP		7	35	4X100		12.35	
460-670-4943SP	460-570-4941SP	15	,	41	4x100	75	12.25	
A60-770-4938SP 460-770-4945SP 460-770-6548SP 460-775-6538SP 460-775-654SSP 460-775-654SSP 460-775-654SSP 460-780-654SSP 460-780-654SSP 460-780-6550SP 460-875-6540SP 460-875-6540SP 460-875-6540SP 460-880-443SSP 460-880-1242SP 460-880-443SSP 460-880-640SP 460-880-6640SP 460-880-6640SP 460-880-6640SP 460-880-6640SP 460-880-6650SP 460-885-663SSP 460-885-663SSP 460-885-663SSP 460-885-663SSP 460-885-663SSP 460-885-663SSP 460-890-663SSP 460-890-664SSP 460-890-663SSP 460-890-663SSP 460-890-663SSP 460-890-663SSP 460-890-664SSP 460-890-663SSP 460-890-663SSP 460-890-664SSP 460-8	460-580-4935SP		8	35	4x100		13.15	
The image is a content of the content of the image is a content of the image is a content of t	460-670-4943SP	16	7	43	4x100	75	14.00	
460-770-6548SP 460-775-6538SP 460-775-654SSP 460-775-804SSP 460-775-804SSP 460-780-4450SP 460-780-654SSP 460-780-654SSP 460-780-6550SP 460-875-6540SP 460-875-6540SP 460-875-6540SP 460-875-804SSP 460-875-804SSP 460-880-1235SP 460-880-1235SP 460-880-124SSP 460-880-644SSP 460-880-6645SP 460-880-6645SP 460-880-6645SP 460-880-664SSP 460-890-663SSP 460-890-663SSP 460-890-663SSP 460-890-663SSP 460-890-663SSP 460-890-663SSP 460-890-664SSP 460-	460-770-4938SP			38	4x100		15.50	
A60-775-6538SP A60-775-8038SP A60-775-8038SP A60-775-8045SP A60-780-4435SP A60-780-4435SP A60-780-6545SP A60-780-6550SP A60-780-6550SP A60-780-6550SP A60-780-6550SP A60-780-6550SP A60-780-6550SP A60-780-6550SP A60-780-6550SP A60-780-6550SP A60-785-6540SP A60-875-6540SP A60-875-6540SP A60-875-6545SP A60-875-8045SP A60-875-8045SP A60-880-645SP A60-880-645SP A60-880-6645SP A60-880-6645SP A60-885-6635SP A60-885-6635SP A60-885-6635SP A60-895-6645SP A60-89	460-770-4945SP		7	45	4x100		N.A.	
Table Tabl	460-770-6548SP			48	5x114.3		15.90	
17.15	460-775-6538SP			38	5x114.3		17.15	
38 5x100 17.15	460-775-6545SP		7.5	45	5x114.3		16.75	
17	460-775-8038SP		7.5	38	5x100		17.15	
A60-780-4450SP	460-775-8045SP			45	5x100		16.75	
Record	460-780-4435SP	17		35	5x112	75	18.20	
8 50 5x114.3 16.95	460-780-4450SP			50	5x112		16.95	
\$460-780-6550SP	460-780-6545SP		0	45	5x114.3		N.A.	
460-780-8050SP	460-780-6550SP		0	50	5x114.3		16.95	
Record R	460-780-8035SP			35	5x100		18.20	
A60-785-6540SP	460-780-8050SP			45	5x100		N.A.	
460-785-6548SP 40	460-785-1240SP		0 5	40	5x120		18.35	
Telephone	460-785-6540SP		0.5	40	5x114.3		18.35	
A60-875-8038SP	460-875-6538SP			38	5x114.3		17.50	
38 5x100 17.50 17.65 19.20 16.080-1245SP 460-880-1245SP 460-880-4445SP 460-880-6445SP 460-880-6645SP 460-885-6645SP 46	460-875-6545SP		7.5	45	5x114.3		17.65	
460-875-8045SP	460-875-8038SP		7.5	38	5x100		17.50	SILVED
460-880-1242SP 460-880-4435SP 460-880-6445SP 460-880-6640SP 460-880-6640SP 460-880-6640SP 460-880-6640SP 460-880-6650SP 460-885-6630SP 460-885-6630SP 460-885-6648SP 460-885-6648SP 460-885-6645SP 460-885-6645SP 460-885-6645SP 460-885-6645SP 460-885-6645SP 460-895-6635SP 460-	460-875-8045SP			45	5x100		17.65	OILVLIT
A60-880-4435SP	460-880-1235SP			35	5x120		19.20	
8	460-880-1242SP			42	5x120		N.A.	
8	460-880-4435SP			35	5x112		19.20	
460-880-6640SP 40	460-880-4445SP		Ω	45	5x112		18.56	
460-880-6645SP	460-880-5140SP		O	40	5X110		N.A.	
17.95 17.95 18 30 5x114.3 75 19.65 19.	460-880-6640SP			40	5x114.3		N.A.	
18	460-880-6645SP			45	5x114.3		18.56	
A60-885-6635SP	460-880-6650SP			50	5x114.3		17.95	
460-885-6648SP 48 5x114.3 18.30 460-885-8048SP 48 5x100 N.A. 460-890-4435SP 35 5x112 20.10 460-890-6635SP 45 5x114.3 20.10 460-895-6645SP 45 5x114.3 19.20 460-895-6635SP 460-895-6635SP 15 5x114.3 N.A. 460-895-6645SP 45 5x114.3 20.65 460-895-8045SP 45 5x114.3 20.35 460-895-8045SP 45 5x1100 N.A. 460-895-8615SP 45 5x100 N.A. 460-895-8045SP 45 5x100 N.A. 460-895-8045SP 45 5x110 N.A.	460-885-6630SP	18		30	5x114.3	75	19.65	
48	460-885-6635SP		8.5	35	5x114.3		N.A.	
460-890-4435SP 35 5x112 20.10 460-890-6635SP 460-890-6645SP 45 5x114.3 19.20 460-895-6615SP 460-895-6635SP 15 5x114.3 N.A. 460-895-6645SP 45 5x114.3 20.65 460-895-6645SP 45 5x114.3 20.35 460-895-8045SP 45 5x100 N.A. 460-895-8615SP 15 5x114.3 23.15	460-885-6648SP		0.5	48	5x114.3		18.30	
460-890-6635SP 9 35 5x114.3 20.10 460-890-6645SP 45 5x114.3 19.20 460-895-6615SP 15 5x114.3 N.A. 460-895-6635SP 35 5x114.3 20.65 460-895-6645SP 45 5x114.3 20.35 460-895-8045SP 45 5x114.3 20.35 460-895-8615SP 45 5x114.3 20.35 45 5x114.3 23.15	460-885-8048SP			48	5x100		N.A.	
460-890-6645SP 460-895-6615SP 460-895-6635SP 460-895-6635SP 460-895-6645SP 460-895-8045SP 460-895-8045SP 460-895-8045SP 45 5x114.3 20.35 45 5x114.3 20.35 N.A. 20.35	460-890-4435SP			35	5x112		20.10	
460-895-6615SP 460-895-6635SP 460-895-6645SP 460-895-8045SP 460-895-8045SP 460-895-8045SP 45 5x114.3 20.35 45 5x114.3 20.35 N.A. 20.35	460-890-6635SP		9	35	5x114.3		20.10	
460-895-6635SP 460-895-6645SP 460-895-6645SP 45 5x114.3 20.65 460-895-8045SP 45 5x110.0 N.A. 460-8105-8615SP 15 5x114.3 23.15	460-890-6645SP			45	5x114.3		19.20	
460-895-6645SP 460-895-8045SP 460-895-8045SP 45 5x110 N.A. 20.35 N.A. 23.15	460-895-6615SP				5x114.3		N.A.	
460-895-6645SP 45 5x114.3 20.35 460-895-8045SP 45 5x100 N.A. 460-8105-6615SP 15 5x114.3 23.15	460-895-6635SP		9.5	35	5x114.3		20.65	
460-8105-6615SP 15 5v114 3 23 15	460-895-6645SP		9.5	45	5x114.3		20.35	
460-8105-6615SP 10.5 15 5x114.3 23.15	460-895-8045SP			45	5x100		N.A.	
	460-8105-6615SP		10.5	15	5x114.3		23.15	
460-8105-6638SP 38 5x114.3 22.05	460-8105-6638SP		10.0	38	5x114.3		22.05	

Cap # A423-0000SP, Valve Stem# A460-VLV-SP for Silver finish wheel Matte Black finish is for selected sizes and special order only For 17x8 and 17x9 Matte Black finish, see Please see PF01 SS Cap # A461-CAPCP, Valve Stem# A460-VLV-BK for Matte Black finish wheel





Gloss Black w/Machined Lip (17x9 pictured)

PF0155

17 - Racing Series

We've taken our successful PF01 racing wheel one step further with a lip and two new color configurations to add a bit of flare to its super sport design. Available in matte black, silver, black machined, and white machined finishes.

PART NO.	SI	ZE	INSET	BOLT PATTERN	BORE DIAMETER	WEIGHT (lbs.)	FINISH
460-780-6550SP				5x114.3		17.24	SILVER
460-780-6550BK				5x114.3		17.24	MATTE BLACK
460-780-6550BKM		8	50	5x114.3		17.24	GLOSS BLACK with MACHINED LIP
460-780-6550WM				5x114.3		17.24	WHITE with MACHINED LIP
460-790-6535SP			35	5x114.3		19.18	SILVER
460-790-6535BK			55	5x114.3		19.18	MATTE BLACK
460-790-6548SP	17		48	5x114.3	75	18.85	SILVER
460-790-6548BK		9		5x114.3		18.85	MATTE BLACK
460-790-6560SP		3		5x114.3		17.41	SILVER
460-790-6560BK			60	5x114.3		17.41	MATTE BLACK
460-790-6560BKM			00	5x114.3		17.41	GLOSS BLACK with MACHINED LIP
460-790-6560WM				5x114.3		17.41	WHITE with MACHINED LIP

Cap # A423-0000SP, Valve Stem # A460-VLV-SP for Silver finish wheel
Cap # A461-CAPCP, Valve Stem # A460-VLV-BK for Black finish and White finish wheels









Silver



Matte Black



White w/Machined Lip



Dark Silver





Seven dynamic spokes reach toward the edge of the flange in a concave fashion to give the wheel additional depth and the appearance of being one size larger. The sides of the spokes are thinned to make them lighter while emphasizing the concave shape. This is combined with a double-lipped flange for an especially aggressive look. The concepts of toughness and sport serve as inspiration for these design features. The wheel's rim is formed with MAT technology to achieve a high level of strength, rigidity, and light weight. The face is engineered to accommodate a large brake caliper and to enhance brake cooling performance during high speed driving.

17 | 18 | 19 - Racing Series

PART NO.	,	SIZE	INSET	BOLT	BORE	WEIGHT	FINISH
TART NO.		5.22	IIVJET	PATTERN	DIAMETER	(lbs.)	HINISH
490-775-4450DS			50	5x112		19.20	
490-775-4942DS		7.5	42	4x100		N.A.	
490-775-6545DS		7.0	45	5x114.3		N.A.	
490-775-8045DS			45	5x100		N.A.	
490-780-6535DS			35	5x114.3		N.A.	
490-780-6548DS		8	48	5x114.3		19.75	
490-780-8038DS			38	5x100		N.A.	
490-785-6535DS	17	8.5	35	5x114.3	75	N.A.	
490-785-6555DS		0.0	55	5x114.3		19.99	
490-790-6520DS			20	5x114.3		N.A.	
490-790-6538DS		9	38	5x114.3		N.A.	
490-790-8038DS			38	5x100		19.81	
490-795-6518DS			18	5x114.3		N.A.	
490-795-6530DS		9.5	30	5x114.3		N.A.	
490-795-6540DS			40	5x114.3		20.21	
490-875-6548DS		7.5	48	5x114.3		N.A.	
490-875-8048DS		7.0	48	5x100		20.94	
490-880-4435DS			35	5x112		N.A.	
490-880-4450DS			50	5x112		N.A.	
490-880-6535DS		8	35	5x114.3		N.A.	
490-880-6545DS			45	5x114.3		18.56	
490-880-8045DS			45	5x100		N.A.	DARK
490-885-6535DS		8.5	35	5x114.3		N.A.	SILVER
490-885-6545DS	18		45	5x114.3	75	21.64	
490-890-6530DS	10	9	30	5x114.3	70	N.A.	
490-890-6540DS			40	5x114.3		20.92	
490-890-8040DS			40	5x100		N.A.	
490-895-6515DS			15	5x114.3		N.A.	
490-895-6525DS		9.5	25	5x114.3		N.A.	
490-895-6540DS			40	5x114.3		21.53	
490-810-6538DS		10	38	5x114.3		22.24	
490-8105-6515DS		10.5	15	5x114.3		N.A.	
490-8105-6525DS		10.0	25	5x114.3		23.52	
490-980-4445DS		8	45	5x112		N.A.	
490-980-6545DS		0	45	5x114.3		22.33	
490-985-4438DS			38	5x112		N.A.	
490-985-6532DS		8.5	32	5x114.3		N.A.	
490-985-6542DS			42	5x114.3		23.03	
490-990-6527DS	19	9	27	5x114.3	75	N.A.	
490-990-6540DS]]	9	40	5x114.3		23.08	
490-995-6535DS		9.5	35	5x114.3		N.A.	
490-995-6545DS		5.5	45	5x114.3		23.50	
490-910-6518DS		10	18	5x114.3		N.A.	
490-910-6540DS			40	5x114.3		24.29	

Cap # A489-CAPBK, Valve Stem # A460-VLV-BK












White



15 - Racing Series (FOR RALLY COMPETITION USE ONLY)

PART NO.	SIZ	ZE	INSET	BOLT PATTERN	BORE DIAMETER	WEIGHT (lbs.)	FINISH
463-570-6538WP	15	7	38	5x114.3	75	17.1	WHITE
463-570-8050GG	15	1	50	5x100		17.1	GOLD









F1 Silver



Black (Limited Sizes)

SBC (Limited Sizes)



Optional cap for 15x8, 16, 17, and 18 inch RPF1 (A379-0000SP)



Gold (Limited Sizes)

F1 REPLICA

Enkei is an official supplier of the McLaren Mercedes Formula One Team. The RPF1 was developed using the same technology as the Formula One race wheel. TWIN SPOKES: Enkei's dual open stance spoke design is used on the McLaren Mercedes Formula One race wheel. The twin spokes achieve better stress dispersion on curves, hard braking, and extreme race driving.

CENTER DESIGN

Enkei's pocket design around the bolt circles increases rigidity and keeps the wheel cooler during aggressive race driving.







RPF1

Now available in 15X8!

14 | 15 | 16 | 17 | 18 | 19 - Racing Series

PART NO.	S	IZE	INSET	BOLT	BORE	WEIGHT	FINISH
TAITING.)	IZL	IIVOLI	PATTERN	DIAMETER	(lbs.)	TINIOTT
3794704928SP	14	7	28	4x100	54	8.40	
3794704919SP	14	/	19	4x100	54	8.70	
3795704935SP		7	35	4x100	70	9.85	
3795704941SP	15	7	41	4x100	73	9.65	
3795804928SP		8	28	4x100	75	11.35	
3796704843SP			43	4x114.3		N.A	
3796704935SP			35	4x100		13.70	
3796704943SP			43	4x100		N.A	
3796706530SP		7	30	5x114.3		14.30	
3796706535SP	16	,	35	5x114.3		N.A	
3796706543SP	10			5x114.3			F1 SILVER
			43			13.70	FISILVEN
3796708035SP			35	5x100	70	N.A	
3796804938SP		8	38	4x100	73	N.A	
3796806538SP			38	5x114.3		N.A	
3797704935SP			35	4x100		N.A	
3797704943SP		7	43	4x100		15.15	
3797706545SP			45	5x114.3		14.90	
3797754448SP			48	5x112		15.25	
3797756548SP		7.5	48	5x114.3		15.25	
3797758048SP			48	5x100		15.25	
3797806535SP			35	5x114.3		16.10	
3797806545GG			45	5x114.3		16.05	GOLD
3797806545SP		_	45	5x114.3		16.05	
3797808035SP		8	35	5x100		16.10	F1 SILVER
3797808045GG			45	5x100	73	16.05	GOLD
3797808045SP			45	5x100		16.05	GOLD
3797856530SP	17		30	5x114.3		17.05	
3797856540SP		8.5	40				
3797906522SP			22	5x114.3		16.30 16.35	F1 SILVER
				5x114.3			
3797906535SP			35	5x114.3		N.A	4
3797906545SP		9	45	5x114.3		15.65	0015
3797906545GG			45	5x114.3		15.65	GOLD
3797908045SP			45	5x100	73	15.65	F1 SILVER
3797908045GG			45	5x100		15.65	GOLD
3797956518SP		9.5	18	5x114.3		16.75	
3797956538SP		3.	38	5x114.3		16.25	
3797106518SP		10	18	5x114.3		17.25	
3797106538SP		10	38	5x114.3		16.90	
3798753138SP			38	5x108	65	16.90	F1 SILVER
3798754448SP			48	5x112		16.90	
3798756548SP		7.5	48	5x114.3		16.90	
3798758048SP			48	5x100		16.90	
3798804435SP			35	5x112	73	18.00	
3798806535SP		8	35	5x114.3		18.00	
3798808035SP		0	35	5x100		18.00	001.0
3798808045GG			45	5x100	56	17.95	GOLD
3798808045SP			45	5x100		17.95	
3798851240SP	18		40	5x120	72.5	18.85	F1 SILVER
3798856530SP		8.5	30	5x114.3		18.95	
3798856540SP		0.0	40	5x114.3	73	N.A	
3798856540GG			40	5x114.3		N.A	GOLD
3798904435SP		9	35	5x112	66.5	N.A	
3798906535SP		3	35	5x114.3		17.10	
3798956515SP			15	5x114.3		18.20	
3798956538SP		9.5	38	5x114.3		N.A	
3798956545SP			45	5x114.3		17.40	
3798106538SP		10	38	5x114.3	73	18.45	
37981056515SP		10.5	15	5x114.3	_	19.05	
3799804435SP		10.0	35	5x112		N.A	
37998044333F		8	48	5x112		19.25	
		,					F1 SILVER
3799808035SP			35	5x100	70.5	20.00	- FI SILVEN
3799851235SP		0.5	35	5x120	72.5	N.A	
3799856522SP		8.5	22	5x114.3		21.00	
3799856542SP	19		42	5x114.3		N.A	
3799906518SP		9	18	5x114.3	73	21.20	
3799956522SP		9.5	22	5x114.3		N.A	
3799956542SP		9.0	42	5x114.3		20.15	
3799101225SP		10	25	5x120	72.5	N.A	
3799106522SP		10	22	5x114.3	73	21.30	

CAP NOT INCLUDED WITH 16", 17", AND 18" WHEELS
No cap available for 14x7 or 15x7 wheels
Cap # A379-0000SP is optional for 15x8, 16", 17" and 18" wheels
Cap # A379-9000SP is included with 19" wheels
Cap Screw # ASCREW04-070-08SA is included with 19" wheel

Valve Stem # A379-VALVEBLACK, A379-VALVEBLUE, A379-VALVERED Matte Black and SBC finish are limited sizes and special order only



NT03+M

17 | 18 - Racing Series

PART NO.	SIZE		INSET	BOLT PATTERN	BORE DIAMETER	WEIGHT (lbs.)	FINISH
3657956538HS	17	9.5	38	5x114.3	72.6	20.1	HYPER BLACK
3658756537SP		7.5	37	5x114.3		18.5	
3658801235SP			35	5x120		19.4	
3658804435SP		8	35	5x112	72.6	19.4	
3658808035SP			35	5x100		19.4	
3658856538SP		8.5	38	5x114.3		19.6	
365885PO50SP	18	6.5	50	5x130	71.6	19.2	F1 SILVER
3658956527SP		9.5	27	5x114.3	72.6	19.9	
3658956540SP		9.5	40	5x114.3	72.0	19.4	
3658101225SP		10	25	5x120	72.6	20.5	
365810PO60SP		10	60	5x130	71.6	21.0	
36581056530SP		10.5	30	5x114.3	72.6	21.0	

Cap # A365-0000SP Cap Screw # ASCREW04-070-12SA Valve Stem # V365-0000CE

Designed with a perimeter brace ring that enhances the wheel strength so it's able to resist deformation or distortion from outer forces, resulting in highly accurate steering response and strength. The NT03+M also features a racing twin valve design which allows for accurate monitoring while adjusting the pressure.



Platinum Silver

Piano Black

The RSM9 is a sports wheel infused with Enkei's racing technology. Its sporty nine spoke design incorporates an ideal depth-to-height ratio for a striking look and features deep "side cut" to shave off extra weight to achieve the ultimate in performance. Enkei's original MAT-Dura flow forming process gives the RSM9 unrivaled strength and rigidity. The face of the RSM9 is painted using Enkei's exclusive piano black or platinum silver finish, which contrasts perfectly against its machined lip. Anti-slip paint on the inside of the wheel reduces the tendency toward tire distortion during extreme acceleration.

RSM9

17 | 18 | 19 - Racing Series

PAR ⁻	T NO.		01	IZE	INSET	BOLT	BORE	WEIGHT	FINISH
Stock Code	Black	Silver	31	IZE	INSET	PATTERN	DIAMETER	(lbs.)	FINISH
472-770-4938	BK	SP			38	4x100		N.A.	
472-770-4945	BK	SP		7	45	4x100		16.31	
472-770-6545	BK	SP	Ī		45	5x114.3		16.31	
472-775-4450	BK	SP		7.5	50	5x112		16.53	
472-775-8048	BK	SP	17	7.5	48	5x100	75	N.A.	
472-780-6548	BK	SP			48	5x114.3		16.93	
472-780-8035	BK	SP		8	35	5x100		N.A.	
472-780-8048	BK	SP			48	5x100		16.93	
472-785-6530	BK	SP		8.5	30	5x114.3		18.45	
472-875-4450	BK	SP			50	5x112		17.26	
472-875-4948	BK	SP		7.5	48	4x100		N.A.	
472-875-6548	BK	SP		1 '.5	48	5x114.3		N.A.	
472-875-8048	BK	SP			48	5x100		N.A.	
472-880-4450	BK	SP		8	50	5x112		18.01	
472-880-8048	BK	SP		ّ	48	5x100		N.A.	
472-885-6530	BK	SP	18		30	5x114.3	75	N.A.	PIANO BLACK / PLATINUM
472-885-6542	BK	SP		9	42	5x114.3		N.A.	
472-885-6548	BK	SP			48	5x114.3		18.58	
472-890-6530	BK	SP			30	5x114.3		N.A.	
472-890-6545	BK	SP			45	5x114.3		20.09	
472-895-6535	BK	SP		9.5	35	5x114.3		N.A.	
472-895-6545	BK	SP		9.5	45	5x114.3		20.19	SILVER
472-975-4450	BK	SP			50	5x112		18.36	OILVLIX
472-975-6548	BK	SP		7.5	48	5x114.3	75	N.A.	
472-975-8048	BK	SP			48	5x100] '3	N.A.	
472-980-4450	BK	SP		8	50	5x112		18.69	
472-985-1232	BK	SP			32	5x120	72.5	N.A.	
472-985-1242	BK	SP			42	5x120	72.5	N.A.	
472-985-4445	BK	SP		8.5	45	5x112		19.55	
472-985-6530	BK	SP			30	5x114.3		N.A.	
472-985-6542	BK	SP			42	5x114.3	75	N.A.	
472-990-4450	BK	SP	19		50	5x112	'3	20.10	
472-990-6525	BK	SP		9	25	5x114.3		N.A.	
472-990-6540	BK	SP			40	5x114.3		N.A.	
472-995-1232	BK	SP			32	5x120	72.5	N.A.	
472-995-1245	BK	SP			45	5x120	72.5	N.A.	
472-995-4445	BK	SP		9.5	45	5x112		22.00	
472-995-6535	BK	SP			35	5x114.3		N.A.	
472-995-6545	BK	SP			45	5x114.3	75	22.00	
472-910-6543	BK	SP		10	43	5x114.3		22.88	
472-9105-6525	BK	SP		11	25	5x114.3		24.31	

Cap # A429-0000HB Cap Screw # ASCREW04-070-08SA Valve Stem # V429-0000SP









Hyper Black

TWIN VALVE

Dual valves allow accurate monitoring of tire pressure while maximizing tire & vehicle performance.

LIGHT-WEIGHT POCKET DESIGN

This innovative technique was created for the McLaren Mercedes Formula One machine. Shaving aluminum from the sides of the spokes relieves wheel stress and makes the wheel lighter, which is a crucial element in racing.

ANTI-SLIP PAINT

The use of anti-slip paint enhances the wheel's grip on the tire, resulting in reduced tire distortion during extreme acceleration.

DURA-FLOW MAT

Enkei's MAT (Most Advanced Technology) process improves the molecular structure of aluminum and reduces wheel weight without sacrificing strength. Through improving the material's strength and changing the rim profile, MAT evolved into DURA-FLOW MAT. This process optimizes the rim's strength and rigidity, while also producing a new rim shape that accommodates large high-performance brakes.

GTC01

17 | 18 | 19 - Racing Series

				BOLT	BORE	WEIGHT								
PART NO.	S	IZE	INSET	PATTERN		(lbs.)	FINISH							
429-770-4938HB			38	4x100	DIAMETER	18.10								
429-770-4950HB		7	50	4x100		N.A								
429-770-6545HB			45	5x114.3		17.70								
429-775-8048HB		7.5	48	5x100		17.80								
429-780-4450HB			50	5x112		18.90								
429-780-6540HB	47	_	40	5x114.3	7-	19.30								
429-780-6548HB	17	8	48	5x114.3	75	N.A								
429-780-8035HB			35	5x100		N.A								
429-785-6535HB			8.5	35	5x114.3		20.35							
429-790-6540HB		9	40	5x114.3		N.A								
429-795-6522HB		0.5	22	5x114.3		N.A								
429-795-6538HB		9.5	38	5x114.3		N.A								
429-875-6548HB		7.5	48	5x114.3		20.45								
429-875-8048HB		7.5	48	5x100		20.45								
429-880-4435HB		35 5x112		21.85										
429-880-4450HB			50	5x112		20.55	HYPER							
429-880-6540HB			40	5x114.3		N.A								
429-880-6545HB		8	8	8	45	5x114.3		N.A	BLACK					
429-880-6548HB			48	5x114.3		N.A								
429-880-8035HB	18	18	18	18	18	18	18	18		35	5x100	75	21.85	
429-880-8048HB			48	5x100		N.A								
429-885-6530HB		8.5	30	5x114.3		21.80								
429-885-6535HB		5.	35	5x114.3		22.05								
429-890-6518HB		9	18	5x114.3		22.75								
429-890-6540HB		9	40	5x114.3		21.65								
429-895-6538HB		9.5	38	5x114.3		22.70								
429-810-6522HB		10	22	5x114.3		24.25								
429-985-3145HB			45	5x108	63.34	22.60								
429-985-6522HB		8.5	22	5x114.3		24.00								
429-985-6542HB			42	5x114.3		23.10								
429-990-6518HB	19	9	18	5x114.3	75	N.A								
429-995-6522HB		9.5	22	5x114.3	73	24.85								
429-995-6542HB			42	5x114.3		23.60								
429-910-6522HB		10	22	5x114.3		N.A								

Cap # A429-0000HB Cap Screw # ASCREW04-070-08SA Valve Stem # V429-0000SP







TUNING SERIES

Introducing Enkei's Tuning Series. Contemporary wisdom says that you've got to give one good thing up if you want another. Not so with the Enkei Tuning Series! Enkei is proud to offer light weight and strong wheels that won't leave your pocketbook empty. Utilizing Enkei's world class manufacturing abilities, Enkei has lowered the cost of the MAT spin forging production process even further, allowing us to produce a new line of wheels built using the same methods as the Racing series, but at a lower price point.

MOST ADVANCED TECHNOLOGY

Enkei developed a new manufacturing process to produce the next generation of aluminum wheels. Most Advanced Technology (MAT) combines one-piece cast wheel technology with a rim-forming "spinning" technique. Use of this new technology of casting and rim forming, the MAT process, is critical to drastically improve the material properties and strength of wheels. In addition, Enkei's rim-rolled technology shapes the rim to improve material elongation without sacrificing the wheel's hardness.



Storm Gray

Gloss Black

TM-7

17 | 18 - Tuning Series

For decades, mesh wheel designs have been popular for numerous applications ranging from luxury sedans to hardcore track machines. It is truly a timeless design. Enkei has put a literal twist on this classic style with the all new Enkei TM-7 Tuning Series wheel. Utilizing a clean and balanced seven-split-spoke design, the TM-7 perfectly combines style with strength. The TM-7 is built using Enkei's world-class MAT process to keep its weight low for increased performance both on the street and the race track. The TM7 is available in Storm Gray or Gloss Black with flat or concave face profiles, both with Enkei's signature flat center cap.

PART	NO.					BOLT	BORE	
Stock Code	Storm	Gloss	S	IZE	INSET		DIAMETER	FINISH
	Gray	Black						
507-780-6535	GR	BK			35	5x114.3		
507-780-6545	GR	BK	17	8	45	5x114.3		
507-780-8045	GR	BK			45	5x100		
507-790-6535	GR	BK			35	5x114.3		
507-790-6545	GR	BK		9	45	5x114.3		
507-790-8045	GR	BK			45	5x100		STORM GRAY OR GLOSS BLACK
507-880-4445	GR	BK		8	45	5x112		
507-880-6535	GR	BK			35	5x114.3	72.6	
507-880-6545	GR	BK		0	45	5x114.3		
507-880-8045	GR	BK			45	5x100		
507-885-6525	GR	BK			25	5x114.3		BLACK
507-885-6538	GR	BK	18	8.5	38	5x114.3		
507-885-6545	GR	BK		0.5	45	5x114.3		
507-885-8045	GR	BK			45	5x100		
507-895-6515	GR	BK			15	5x114.3		
507-895-6538	GR	BK		9.5	38	5x114.3		
507-895-8045	GR	BK			45	5x100		





Pearl Black



Storm Gray

As directional wheels become more popular, we wanted to create one that not only offers a directional design but also keeps in line with Enkei's commitment of making strong and long lasting products. Made with strength and rigidity in mind, the TD-5 is a multi-spoke directional design and is offered in either Storm Gray or Pearl Black finishes. It is made using the same MAT process used to make one of the lightest strongest wheels in the industry, the iconic Enkei RPF1. This makes the TD-5 not only stylish but also strong and light weight. It is available in a concave and flat face profiles.


PAR	ΓNO.					BOLT	BORE	
Stock Code	Storm Grav	Pearl Black	SI	IZE	INSET	PATTERN	DIAMETER	FINISH
508-780-6535	GR	MBM			35	5x114.3		
508-780-6545	GR	MBM		8	45	5x114.3		
508-780-8045	GR	MBM	17		45	5x100		
508-790-6535	GR	MBM	17		35	5x114.3		
508-790-6545	GR	MBM		9	45	5x114.3		STORM
508-790-8045	GR	MBM			45	5x100		GRAY OR
508-880-4445	GR	MBM			45	5x112		PEARL
508-880-6535	GR	MBM		8	35	5x114.3		BLACK
508-880-6545	GR	MBM		0	45	5x114.3	72.6	(MACHINED
508-880-8045	GR	MBM			45	5x100		SPOKE WITH
508-885-6525	GR	MBM			25	5x114.3		BLACK
508-885-6538	GR	MBM	18	8.5	38	5x114.3		CLEAR
508-885-6545	GR	MBM		0.5	45	5x114.3		COAT)
508-885-8045	GR	MBM			45	5x100		
508-895-6515	GR	MBM			15	5x114.3		
508-895-6538	GR	MBM		9.5	38	5x114.3		
508-895-8045	GR	MBM			45	5x100		





17 | 18 - Tuning Series

The design cues of the RPF1 are known in motorsports circles around the world. We've taken those elements and applied them to a split 5-spoke tuning wheel from Enkei. The TSP-5 provides a perfect balance between light-weight and strength, and is available in concave or flat face profiles dependent on size and width. The TSP-5 is finished off with Enkei's signature flat center cap and is available in silver, matte black, or limited gold paint.





(Select Sizes)

Silver



PA	ART NO).		C	SIZE	INSET	BOLT	BORE	FINISH
Stock Code	Silver	Black	Gold)IZL	INSLI	PATTERN	DIAMETER	1 1101011
497-780-4445	SP	BK				45	5x112		
497-780-6535	SP	BK			8	35	5114.3		
497-780-6545	SP	BK			0	45	5114.3		
497-780-8045	SP	BK	GG	17		45	5x100		
497-790-6535	SP	BK				35	5x114.3		SILVER
497-790-6545	SP	BK			9	45	5x114.3		OR
497-790-8045	SP	BK				45	5x100		MATTE
497-880-4445	SP	BK				45	5x112		BLACK
497-880-6535	SP	BK			8	35	5x114.3		
497-880-6545	SP	BK			0	45	5x114.3	72.6	
497-880-8045	SP	BK	GG			45	5x100		
497-885-6525	SP	BK				25	5x114.3		GOLD IN
497-885-6535	SP	BK		18		35	5x114.3		SELECT
497-885-6540	SP	BK		10	8.5	40	5x114.3		SIZES
497-885-6550	SP	BK	GG			50	5x114.3		
497-885-8045	SP	BK				45	5x100		
497-895-6515	SP	BK				15	5x114.3		
497-895-6535	SP	BK			9.5	35	5x114.3		
497-895-8045	SP	BK				45	5x100		



Storm Gray



Gloss Black

Gold (Select Sizes)



The Enkei TS-10 takes the simplest approach to achieving Enkei's philosophy in creating a lightweight and strong wheel. Its 10 cleanly cut spokes reach the very edge of the wheel, creating the illusion that the wheel is bigger than its true size. The TS-10 is available in concave and flat face profiles dependent on size and width. The TS-10 is finished off with Enkei's signature flat center cap and is available in new storm gray, gloss black, or limited gold paint.

Р	ART NC).		0.75			BOLT	BORE	
Stock Code	Storm Gray	Gloss Black	Gold	Ø	IZE	INSET	PATTERN	DIAMETER	FINISH
499-780-4940	GR	BK				40	4x100		
499-780-6535	GR	BK			8	35	5x114.3		
499-780-6545	GR	BK			0	45	5x114.3		
499-780-8045	GR	BK	G	17		45	5x100		
499-790-6535	GR	BK				35	5x114.3		
499-790-6545	GR	BK			9	45	5x114.3		
499-790-8045	GR	BK				45	5x100		STORM GRAY
499-880-4445	GR	BK				45	5x112		OR GLOSS
499-880-6540	GR	BK			8	40	5x114.3	72.6	BLACK
499-880-6550	GR	BK			0	50	5x114.3	72.0	
499-880-8045	GR	BK	G			45	5x100		
499-885-6525	GR	BK				25	5x114.3		GOLD IN
499-885-6535	GR	BK		18	8.5	35	5x114.3		SELECTED
499-885-6550	GR	BK	G		0.5	50	5x114.3		SIZES
499-885-8045	GR	BK				45	5x100		
499-895-6515	GR	BK				15	5x114.3		
499-895-6535	GR	BK			9.5	35	5x114.3		
499-895-8045	GR	BK				45	5x100		



Hyper Silver



Gloss Black

The all-new Enkei TY-5 is an exciting entry in Enkei's lightweight Tuning series. Utilizing a sleek combination of a split 5-spoke style with the center styling cues of a mesh wheel, the TY-5 is a great choice for a wide variety of wheels ranging from small sports coupes to full-size luxury cars. It is available in several exciting colors including hyper black, gloss black, and an all-new limited pearl black. The TY-5 is available in concave and flat face profiles dependent on size and width, and includes Enkei's signature flat center cap.

Pa	ART NO.						BOLT	BORE					
Stock Code	Hyper	Gloss	Pearl	S	IZE	INSET	PATTERN	DIAMETER	FINISH				
	Silver	Black	Black										
498-880-3140	HS	BK	MBM			40	5x108						
498-880-4445	HS	BK	MBM			45	5x112						
498-880-6540	HS	BK	MBM		8	40	5x114.3						
498-880-6550	HS	BK	MBM			50	5x114.3						
498-880-8045	HS	BK	MBM			45	5x100						
498-885-1238	HS	BK	MBM			38	5x120		HYPER SILVER OR GLOSS BLACK OR PEARL BLACK				
498-885-4442	HS	BK	MBM			42	5x112						
498-885-6525	HS	BK	MBM	18	8.5	25	5x114.3						
498-885-6535	HS	BK	MBM			35	5x114.3						
498-885-6550	HS	BK	MBM			50	5x114.3						
498-885-8045	HS	BK	MBM			45	5x100						
498-895-1235	HS	BK	MBM			35	5x120	72.6	PEARL BLACK				
498-895-6515	HS	BK	MBM		9.5	15	5x114.3		IS MACHINED				
498-895-6535	HS	BK	MBM		9.5	35	5x114.3		SPOKE WITH				
498-895-8045	HS	BK	MBM			45	5x100		BLACK CLEAR COAT				
498-980-4445	HS	BK	MBM		8	45	5x112		COAT				
498-980-6540	HS	BK	MBM		0	40	5x114.3						
498-985-1238	HS	BK	MBM			38	5x120						
498-985-4442		BK	MBM	10	8.5	42	5x112						
498-985-6535	HS	BK	MBM	19		35	5x114.3						
498-995-1235	HS	BK	MBM			35	5x120						
498-995-6515	HS	BK	MBM		9.5	15	5x114.3	1					
498-995-6535	HS	BK	MBM			35	5x114.3						

Cap# A476-CAPCP Cap# for 5x120 BMW size, Cap# A476-CAPCP BMW









Gold (Select Sizes)

17 | 18 - Tuning Series

The T6S borrows its spoke profile and general design cues from the highly successful Kojin and adds a sixth spoke to achieve an aggressive, yet subtle appearance. The T6S comes standard with Enkei's signature flat center cap, which is the perfect finishing touch. The T6S is also built using Enkei's original MAT technology to achieve the ultimate in strength and light weight. The Enkei T6S is where art and science meet to create the next big step forward in wheels.

P.F	ART NO).		0	ΙΖΕ	INSET	BOLT	BORE	FINISH
Stock Code	Silver	Black	Gold	31	ZE	INSET	PATTERN	DIAMETER	FINISH
485-780-4445	SP	BK				45	5x112		
485-780-6535	SP	BK				35	5x114.3		
485-780-6540	SP	BK			8	40	5x114.3		
485-780-6545	SP	BK		17		45	5x114.3		
485-780-8045	SP	BK	GG	17		45	5x100		
485-790-6535	SP	BK				35	5x114.3		
485-790-6545	SP	BK			9	45	5x114.3		
485-790-8045	SP	BK				45	5x100		
485-880-1232	SP	BK				32	5x120		
485-880-1242	SP	BK			8	42	5x120		MATTE BLACK
485-880-4435	SP	BK				35	5x112		
485-880-4445	SP	BK				45	5x112		
485-880-6535	SP	BK				35	5x114.3	72.6	OR
485-880-6545	SP	BK				45	5x114.3	72.0	MATTE
485-880-8045	SP	BK	GG			45	5x100		SILVER
485-885-1235	SP	BK				35	5x120		SILVER
485-885-4442	SP	BK		18		42	5x112		
485-885-6525	SP	BK		10	8.5	25	5x114.3		
485-885-6535	SP	BK			0.0	35	5x114.3		
485-885-6550	SP	BK				50	5x114.3		
485-885-8045	SP	BK				45	5x100		
485-895-1235	SP	BK				35	5x120		
485-895-4435	SP	BK				35	5x112		
485-895-6515	SP	BK			9.5	15	5x114.3		
485-895-6530	SP	BK			5.5	30	5x114.3		
485-895-8045	SP	BK	GG			45	5x100		

Gold Available in Select Sizes Only

Cap# A476-CAPCP Cap# for 5x120 BMW size, Cap# A476-CAPCP BMW





Platinum Gray



Matte Black

The Enkei TX5 is bold, yet unassuming. It is striking, yet sophisticated. The TX5 takes its inspiration from the highly successful TSP6 and does away with a pair of spokes. By combining the deep-twin spoke design with concave face profiles in select sizes, the TX5 can add major style to any car. Because it's also built with Enkei's MAT technology, it can also add performance thanks to its low weight and high strength. The TX5 comes standard with Enkei's signature flat center cap, which is the perfect finishing touch.

						_		
PAR	T NO.					BOLT	BORE	
Stock Code	Matte Black	Platinum Gray	S	IZE	INSET	PATTERN	DIAMETER	FINISH
491-780-1235	BK	GR			35	5x120		
491-780-4445	BK	GR			45	5x112		
491-780-6535	BK	GR		8	35	5x114.3		
491-780-6545	BK	GR	17		45	5x114.3		
491-780-8045	BK	GR	''	′	45	5x100		
491-790-6535	BK	GR			35	5x114.3		
491-790-6545	BK	GR		9	45	5x114.3		
491-790-8045	BK	GR			45	5x100		
491-880-1232	BK	GR			32	5x120		
491-880-3145	BK	GR			45	5x108		MATTE BLACK OR PLATINUM GRAY
491-880-4445	BK	GR			45	5x112	72.6	
491-880-6535	BK	GR		8	35	5x114.3		
491-880-6545	BK	GR			45	5x114.3		
491-880-6550	BK	GR			50	5x114.3		
491-880-8045	BK	GR			45	5x100		
491-885-1235	BK	GR			35	5x120		
491-885-4442	BK	GR	18		42	5x112		
491-885-6525	BK	GR		8.5	25	5x114.3		
491-885-6535	BK	GR		0.0	35	5x114.3		
491-885-6550	BK	GR			50	5x114.3		
491-885-8045	BK	GR		9.5	45	5x100		
491-895-1235	BK	GR			35	5x120		
491-895-6515	BK	GR			15	5x114.3		
491-895-6530	BK	GR			30	5x114.3		
491-895-8045	BK	GR			45	5x100		

Cap# A476-CAPCP
Cap# for 5x120 BMW size, Cap# A476-CAPCP BMW





Platinum Gray



Matte Black



Clean. Simple. Effective. We kept these three elements at heart when designing the TS9. The TS9's lines are clean with nothing unnecessary added. The spokes and center of the TS9 also keep this philosophy. With simple contours and equally simple side-cuts, the spokes fold into a deep center to evoke a sense of elegance. Most importantly, the TS9 achieves its real-world effectiveness through its MAT construction, which makes the wheel both light and strong. The TS9 comes standard with Enkei's signature flat center cap, which is the perfect finishing touch.

Р	ART N	О.					BOLT	BORE	
Stock Code	Matte	Platinum	Matte	SI	IZE	INSET	PATTERN	DIAMETER	FINISH
	Black	Gray	Silver					DI/ WIETER	
492-780-4445	BK	GR	-			45	5x112		
492-780-6535	BK	GR	SP		8	35	5x114.3		
492-780-6545	BK	GR	SP			45	5x114.3		
492-780-8045	BK	GR	SP	17		45	5x100		
492-790-6535	BK	GR	SP		9	35	5x114.3		
492-790-6545	BK	GR	SP			45	5x114.3		
492-790-8045	BK	GR	SP			45	5x100		
492-880-3145	BK	GR				45	5x108		
492-880-4445	BK	GR			8	45	5x112		MATTE BLACK OR PLATINUM GRAY OR MATTE SILVER
492-880-6535	BK	GR	SP			35	5x114.3		
492-880-6545	BK	GR	SP			45	5x114.3	72.6	
492-880-6550	BK	GR	SP			50	5x114.3		
492-880-8045	BK	GR	SP			45	5x100		
492-885-4442	BK	GR				42	5x112		
492-885-6525	BK	GR	SP	18		25	5x114.3		
492-885-6535	BK	GR	SP	10	8.5	35	5x114.3		
492-885-6550	BK	GR			0.5	50	5x114.3		
492-885-8040	BK	GR	SP			40	5x100		
492-885-8045	BK	GR	SP			45	5x100		
492-895-6515	BK	GR	-			15	5x114.3		
492-895-6530	BK	GR	SP		0.5	30	5x114.3	3	
492-895-8040	BK	GR	SP		9.5	40	5x100		
492-895-8045	BK	GR	SP			45	5x100		


Cap# A476-CAPCP



Hyper Silver



Cap# A476-CAPCP
Cap# for 5x120 BMW size, Cap# A476-CAPCP BMW



in strength and light weight. The TSP6 comes standard with Enkei's signature flat center cap, which is the perfect finishing touch.





Matte Silver



Matte Black

KOJIN

17 | 18 - Tuning Series

The KOJIN takes the traditional 5-spoke design and adds just the right contours to give it an aggressive tuner look without being too loud about it. The KOJIN is built using Enkei's original MAT technology to achieve the ultimate in strength and light weight. The Enkei KOJIN is where art and science meet to create the next big step forward in wheels.

PART	NO.					BOLT	BORE	
Stock Code	Matte Silver	Matte Black	S	IZE	INSET	PATTERN	DIAMETER	FINISH
476-780-1235	SP	BK			35	5x120		
476-780-4445	SP	BK			45	5x112		
476-780-6535	SP	BK			35	5x114.3		
476-780-6540	SP	BK		8	40	5x114.3		
476-780-6545	SP	BK	17	45	5x114.3			
476-780-8040	SP	BK	''	9	40	5x100		
476-780-8045	SP	BK			45	5x100		
476-790-6535	SP	BK			35	5x114.3		
476-790-6545	SP	BK			45	5x114.3		
476-790-8045	SP	BK			45	5x100		
476-880-1232	SP	BK			32	5x120		
476-880-1242	SP	BK			42	5x120		
476-880-4435	SP	BK			35	5x112		MATTE
476-880-4445	SP	BK		8	45	5x112		
476-880-6540	SP	BK		0	40	5x114.3	72.6	SILVER OR
476-880-6545	SP	BK			45	5x114.3		MATTE BLACK
476-880-8040	SP	BK			40	5x100		
476-880-8045	SP	BK			45	5x100		
476-885-1235	SP	BK			35	5x120		
476-885-4442	SP	BK	18		42	5x112		
476-885-6525	SP	BK	10	8.5	25	5x114.3		
476-885-6535	SP	BK		0.5	35	5x114.3		
476-885-6550	SP	BK			50	5x114.3		
476-885-8045	SP	BK			45	5x100		
476-895-1235	SP	BK		9.5	35	5x120		
476-895-1245	SP	BK			45	5x120		
476-895-4435	SP	BK			35	5x112	3	
476-895-6515	SP	BK			15	5x114.3		
476-895-6530	SP	BK			30	5x114.3		
476-895-8045	SP	BK			45	5x100		

Cap# A476-CAPCP Cap# for 5x120 A476-CAPCP BMW





Machined Lip

Cap# for 5x120 A476-CAPCP BMW





Hyper Silver





Matte Black (Shown with optional flat cap)

Titanium Gray (Limited Sizes)

The RAIJIN is a light weight street wheel designed for the every-day driver but with added MAT technology performance benefits. Named after the Japanese god of thunder, the RAIJIN is bound to help you bolt through traffic not only with style but with better overall performance. Having a light weight wheel helps brake more efficiently, helps accelerate quicker and can even help with fuel economy. You'd be surprised how much difference a few pounds makes.

RAIJIN

18 | 19 - Tuning Series

PART	NO.					BOLT	BORE	
Stock Code	Hyper Silver	Matte Black	SI	ZE	INSET	PATTERN	DIAMETER	FINISH
467-880-1232	HS	BK			32	5x120		
467-880-1242	HS	BK	ĺ		42	5x120		
467-880-4435	HS	BK			35	5x112		
467-880-4445	HS	BK	ĺ	8	45	5x112		
467-880-6540	HS	BK		٥	40	5x114.3		
467-880-6545	HS	BK	ĺ		45	5x114.3		
467-880-8035	HS	BK	ĺ		35	5x100		
467-880-8045	HS	BK			45	5x100		
467-885-1238	HS	BK			38	5x120		
467-885-4442	HS	BK	18		42	5x112		
467-885-6535	HS	BK		8.5	35	5x114.3		
467-885-6538	HS	BK		0.5	38	5x114.3		HYPER SILVER OR MATTE
467-885-6550	HS	BK			50	5x114.3		
467-885-8045	HS	BK			45	5x100		
467-895-1235	HS	BK		9.5	35	5x120		
467-895-4435	HS	BK			35	5x112		
467-895-6515	HS	BK			9.5 15 5x114.3 72. 35 5x114.3	72.6	BLACK	
467-895-6535	HS	BK				35	5x114.3	
467-895-8045	HS	BK			45	5x100		TITANIUM
467-980-1232	HS	BK			32	5x120		GRAY
467-980-1242	HS	BK			42	5x120		
467-980-4435	HS	BK		8	35	5x112		
467-980-4445	HS	BK		0	45	5x112		
467-980-6540	HS	BK			40	5x114.3		
467-980-6545	HS	BK			45	5x114.3		
467-985-1238	HS	BK	19		38	5x120		
467-985-4442	HS	BK	19	8.5	42	5x112		
467-985-6535	HS	BK		0.5	35	5x114.3		
467-985-6550	HS	BK			50	5x114.3		
467-995-1235	HS	BK			35	5x120		
467-995-4435	HS	BK		9.5	35	5x112		
467-995-6515	HS	BK		9.5	15	5x114.3		
467-995-6535	HS	BK			35	5x114.3		

18" come with Cap # A468-CAPCP; 19" come with Flat Cap # A476-CAPCP
Cap # for 18" 5x120: A467-CAPCPBMW; for 19" 5x120: # A476-CAPCPBMW
Optional flat cap can be used on all Raijins.

Titanium Gray finish is available for selected 18" sizes





Matte Black (with optional flat cap)

Silve

The FUJIN is a light weight street wheel designed for the every-day driver but with added MAT technology performance benefits. Named after the Japanese god of wind, the FUJIN is bound to help you breeze through traffic not only with style but with better overall performance.

FUJIN

17 | 18 TUNING SERIES

ı	2.5						5017	2025	
	PART	NO.		SI	ZE	INSET	BOLT	BORE	FINISH
	Stock Code	Silver	Black	0.			PATTERN	DIAMETER	
	468-775-4445	SP	BK			45	5X112		
	468-775-6540		BK	17	7.5	40	5X114.3		
	468-775-6550	SP	BK	17	7.5	50	5X114.3		SILVER OR BLACK
	468-775-8040		BK			40	5X100	72.6	
	468-880-4445	SP	BK			45	5X112	72.0	
	468-880-6540	SP	-	18	8	40	5X114.3		
	468-880-8040	SP	BK	10	0	40	5X100		
	468-880-8050	SP	BK			50	5X100		



PERFORMANCE SERIES

Introducing Enkei's Performance Series. The Enkei performance series represents the absolute best combination of styling, performance, and value in the aftermarket wheel business today. Enkei's expert engineering and world-class manufacturing allow us to offer high quality wheels in a wide range of vehicle applications without breaking the bank.



Anthracite



Black Machined

From day one, Enkei has always been about offering stylish and sporty wheels that are also tough enough to stand up to the rigors of high-speed driving. We've taken that philosophy to heart with the all new Enkei Draco. This modern and aggressive V-Spoke wheel is well suited to modern performance sedans and even some small SUVs & Crossovers. It is available 15" through 18" in an all-new anthracite or black machined finish and comes with a cleanly styled center cap to complete the look.

P.A	ART NO.					BOLT	BORE	
Stock Code	Anthracite	Black Machined	SIZE		INSET	PATTERN	DIAMETER	FINISH
509-565-6538	AP		15	6.5	38	5x114.3		
509-670-6538	AP	BKM			38	5x114.3		
509-670-6545	AP	BKM	16	7	45	5x114.3		
509-670-8042	AP	BKM			42	5x100		
509-775-6538	AP	BKM			38	5x114.3		
509-775-6545	AP	BKM	17	7.5	45	5x114.3		ANTHRACITE OR BLACK
509-775-8045	AP	BKM			45	5x100	72.6	
509-880-1235	AP				35	5x120		MACHINED
509-880-3140	AP	-			40	5x108		
509-880-4445	AP	BKM	18	8	45	5x112		
509-880-6535	AP	BKM	10	0	35	5x114.3		
509-880-6545	AP	BKM			45	5x114.3		
509-880-8045	AP	BKM			45	5x100		

Cap# A501-CAPBK
Cap# A501-CAPBKBMW for 5x120





Hyper Gray



Black Machined

Taking design cues from the classic Enkei FD-05, the all-new SS05 combines sharp and aggressive cuts on the spokes with an iconic split 5-spoke design. With an extra high load-rating, the SS05 is well suited to uni-body SUVs and Crossovers, but is also a perfect choice for many modern sedans. The SS05 is available in both black machined and hyper gray in 17", 18", and 20" sizing. Enkei's signature flat center cap finishes off the clean and understated look of the SS05.

PAI	RT NO.					BOLT	BORE	
Stock Code	Hyper Gray	Black Machined	SI	SIZE		PATTERN	DIAMETER	FINISH
511-775-6540	GR	BKM	17	7.5	40	5x114.3		
511-775-8045	GR	BKM	17	7.5	45	5x100		
511-880-1240	GR	BKM			40	5x120		
511-880-3140	GR	BKM			40	5x108		HYPER GRAY OR
511-880-4445	GR	BKM	18	8	45	5x112	72.6	BLACK
511-880-5140	GR	BKM			40	5x110		MACHINED
511-880-6538	GR	BKM			38	5x114.3		
511-285-1240	GR	BKM	20	8.5	40	5x120		
511-285-6538	GR	BKM	20	0.5	38	5x114.3		

Cap# A481-CAPBK Cap# A474-CAPBKBMW for 5x120



Anthracite Machined



Gloss Black

PAF	RT NO.					DOL T	DODE	
Stock Code	Anthracite Machined	Gloss Black	SI	ZE	INSET	BOLT PATTERN	BORE DIAMETER	FINISH
510-775-6540	AM	BK	17	7.5	40	5x114.3		
510-775-8045	AM	BK	17	7.5	45	5x100		
510-880-1240	AM	BK			40	5x120		ANTHRACITE
510-880-3140	AM	BK	18	8	40	5x108	72.6	MACHINED
510-880-5140	AM	BK	10	0	40	5x110	12.0	OR GLOSS
510-880-6538	AM	BK			38	5x114.3		BLACK
510-285-1240	AM	BK	20	8.5	40	5x120		
510-285-6538	AM	BK	20	0.5	38	5x114.3		

Cap# A481-CAPBK Cap# A474-CAPBKBMW for 5x120





Hyper Gray

Luxury. Class. Power. You know it when you see it. Take one look at the all-new Enkei PFS and it becomes clear what this wheel is about. With 15 perfectly contoured spokes, the Enkei PFS achieves the ultimate balance between luxury and sport. This wheel is an excellent option for a wide variety of vehicles ranging from modern sedans to luxury crossovers.

PART NO.	SIZE		INSET	BOLT PATTERN	BORE DIAMETER	FINISH
501-565-4938GR	15	6.5	38	4x100		
501-565-6538GR	13	0.5	38	5x114.3		
501-670-6538GR			38	5x114.3		
501-670-6545GR	16	7	45	5x114.3		
501-670-8045GR			45	5x100		
501-775-6545GR	17	7.5	45	5x114.3	72.6	GRAY
501-775-8045GR	17	7.5	45	5x100	72.0	GNAT
501-880-4445GR			45	5x112		
501-880-5140GR			40	5x110		
501-880-6540GR	18	8	40	5x114.3		
501-880-1242GR			42	5x120		
501-880-6545GR			45	5x114.3		

Cap# A501-CAPBK
Cap# A501-CAPBKBMW for 5x120





Gloss Black



Black Machined

The ONX is an exciting all-new addition to Enkei's SUV/Crossover lineup. Using the design language of the popular Enkei CUV, we've created a sporty new option for owners of crossovers and small SUVs. The ONXs sharply angled spokes extend all the way to the edge of the wheel to give it the appearance that it is larger than it really is. Offered in a sleek new gunmetal machined color with Enkei's signature flat center cap, the ONX is a great way to add personality to any late model SUV or crossover.

PAR	T NO.					BOLT	BORE	
Stock Code	Black	Black Machined	SI	SIZE		PATTERN	DIAMETER	FINISH
505-775-6545	BK	BKM	17	7.5	45	5x114.3		
505-775-8045	BK	BKM	17	2.5	45	5x100		
505-880-1240	BK	BKM			40	5x120		BLACK OR
505-880-3140	BK	BKM	18	8	40	5x108		
505-880-5140	BK	BKM	10		0	40	5x110	72.6
505-880-6540	BK	BKM			40	5x114.3		MACHINED
505-285-1240	BK	BKM			40	5x120		
505-285-4435	BK	BKM	20	8.5	35	5x112		
505-285-6540	BK	BKM			40	5x114.3		

A481-CAPCP A474-CAPCP-BMW Optional Domed Cap #A466-CAPCP



Matte Black



Hyper Black

possible to perfectly perpendicular, relative to the outer lip. The lines creating the transition from spoke to hub area are equally aggressive. From this transition, there is a vertical drop to the hub area. All of these design cues create a wheel that looks great on almost any car.

PAR	T NO.					BOLT	BORE	
Stock Code	Matte Black	Hyper Black	SI	ZE	INSET	PATTERN	DIAMETER	FINISH
494-565-4938	BK	НВ	15	6.5	38	4x100		
494-565-6538	BK	НВ	2	0.	38	5x114.3		
494-670-4938	BK	НВ			38	4x100		
494-670-6538	BK	НВ	16	7	38	5x114.3		
494-670-6545	BK	HB			45	5x114.3		
494-775-3145	BK	HB			45	5x108		
494-775-4942	BK	НВ			42	4x100		MATTE
494-775-6540	BK	HB	17	7.5	40	5x114.3		BLACK
494-775-6550	BK	НВ			50	5x114.3	72.6	OR
494-775-8045	BK	НВ			45	5x100		HYPER BLACK
494-880-1242	BK	HB			42	5x120		BLACK
494-880-3145	BK	HB			45	5x108		
494-880-4445	BK	HB	4.0		45	5x112		
494-880-6540	BK	НВ	18	8	40	5x114.3		
494-880-6550	BK	НВ			50	5x114.3		
494-880-8045	BK	НВ			45	5x100		

Cap# A466-CAPCP Cap# A466-CAPCPBMW for 5x120



Hyper Black



Matte Black

The all new Enkei PSR5 represents an evolution of design in performance wheels. Viewed from the side, the PSR5 consists of 5-gently sloped spokes, but the story is very different looking at it head-on. We've used the sharp lines from Enkei's successful RSF5, and filled them in to completely change the attitude of the wheel. This all results in a wheel that looks great on almost any car, and is tough enough to stand up to sport driving.

PART	ΓNO.		SIZE		INSET	BOLT	BORE	FINISH
Stock Code	Matte Black	Hyper Black	3	IZL	INSLI	PATTERN	DIAMETER	TINISIT
493-565-4938	BK	НВ	15	6.5	38	4x100		
493-670-6538	BK	HB	16	7	38	5x114.3		
493-670-6545	BK	HB	10	-	45	5x114.3		MATTE BLACK OR HYPER
493-775-6540	BK	HB		7	40	5x114.3		
493-775-6550	BK	HB	17		50	5x114.3	70.0	
493-775-8045	BK	HB			45	5x100	72.6	
493-880-5140	BK	HB			40	5x110		BLACK
493-880-6540	BK	HB	40	•	40	5x114.3		22,1011
493-880-6550	BK	НВ	18	8	50	5x114.3		
493-880-8045	BK	НВ			45	5x100		

Cap# A466-CAPCP



Gunmetal Machined

PW10

16 | 17 | 18 - PERFORMANCE SERIES

PART NO. Stock Code	SI	ZE	INSET	BOLT PATTERN	BORE DIAMETER	FINISH
500-670-6538GMM			38	5x114.3		
500-670-6545GMM	16	7	45	5x114.3		
500-670-8042GMM			42	5x100		
500-775-4942GMM			42	4x100		
500-775-6538GMM	17	7.5	38	5x114.3		
500-775-6545GMM	17	7.5	45	5x114.3	72.6	GUNMETAL MACHINED
500-775-8045GMM			45	5x100		
500-880-1242GMM			42	5x120	72.0	
500-880-4445GMM			45	5x112]	
500-880-3140GMM			40	5x108		
500-880-5140GMM	18	8	40	5x110	1	
500-880-6540GMM			40	5x114.3		
500-880-6550GMM			50	5x114.3		
500-880-8045GMM			45	5x100		

Cap# A501-CAPBK
Cap# A501-CAPBKBMW for 5x120

SPEC-E



Hyper Gray

PDC

16 | 17 | 18 - *PERFORMANCE SERIES*

The classic mesh style wheel looks great on nearly everything, but Enkei wanted to add a bit of a twist to this all-new style. The wheel starts with a sharply angled center area from which the spokes come up quickly and split off in the classic style. Look closely though and you'll notice a deep diamond shape cut in to the spokes just before the split. This styling cue and the sharp lines on the PDC make it the ideal choice for anything ranging from a small coupe to a full-size luxury car.

PART	NO.		01	75	INSET	BOLT	BORE	EINHOLL
Stock Code	Black	Gray	51	SIZE		PATTERN	DIAMETER	FINISH
502-670-6538	BK	GR	16	7	38	5x114.3		
502-670-6545	BK	GR	10	,	45	5x114.3		
502-775-4942	BK	GR			42	4x100		
502-775-6540	BK	GR	17	7.5	40	5x114.3		
502-775-6550	BK	GR		7.5	50	5x114.3		BLACK
502-775-8045	BK	GR			45	5x100	72.6	OR
502-880-3145	BK	GR			45	5x108		GRAY
502-880-4445	BK	GR			45	5x112		
502-880-6540	BK	GR	18	8	40	5x114.3		
502-880-6550	BK	GR			50	5x114.3		
502-880-8045	BK	GR			45	5x100		

Cap# A501-CAPBK Cap# A501-CAPBKBMW for 5x120



VR5

15 | 16 | 17 | 18 - PERFORMANCE SERIES

The Enkei VR5 is a new take on a classic design. We start with one of the most classic designs around, a 5-spoke wheel with a bit of lip. The center area is designed to have a very smooth transition to each of the 5-spokes. At the same time, the spokes come off and away from the center area quickly to give the VR5 good brake caliper clearance. The spokes curve back down where they meet the barrel of the wheel.

PAR1	ΓNO.					BOLT	BORE	
Stock Code	Hyper Black	Matte Black	SIZE		INSET		DIAMETER	FINISH
487-565-4938	HB	BK	15	6.5	38	4x100		
487-565-6538	HB	BK	15	0.5	38	5x114.3		
487-670-6538	HB	BK	16	7	38	5x114.3		
487-670-6545	HB	BK	10	,	45	5x114.3		
487-780-3138	HB	BK			38	5x108		
487-780-6540	HB	BK	17	8	40	5x114.3		HYPER BLACK
487-780-6550	HB	BK	17	0	50	5x114.3		
487-780-8045	HB	BK			45	5x100	72.6	OR
487-880-1242	НВ	BK			42	5X120		MATTE
487-880-4445	НВ	BK			45	5x112		BLACK
487-880-5140	HB	BK	18	8	40	5x110		
487-880-6540	HB	BK	10	0	40	5x114.3		
487-880-6550	HB	BK			50	5x114.3		
487-880-8045	НВ	BK			45	5x100		

Cap# A466-CAPCP For 5x120, Cap# A474-CAPCP-BMW

SPEC-E



Matte Black

15 | 16 | 17 | 18 - PERFORMANCE SERIES

The GT7 is all about clean and sporty lines. It's about subtlety. It says more by not saying much at all. The 7-Spoke design available in matte black or silver starts with a sharply angled center area that connects each of the 7 spokes to the outer barrel. The spokes flare slightly as they meet the barrel for added strength.

PART NO.						BOLT	BORE	
Stock Code	Hyper Silver	Matte Black	SIZE		INSET	PATTERN	DIAMETER	FINISH
488-565-4942	HS	BK	15	6.5	42	4x100	72.6	HYPER SILVER OR MATTE BLACK
488-565-6542	HS	BK			42	5x114.3		
488-670-4938	HS	BK	16	7	38	4x100		
488-670-6538	HS	BK			38	5x114.3		
488-670-6545	HS	BK			45	5x114.3		
488-775-4942	HS	BK	17	7.5	42	4x100		
488-775-6540	HS	BK			40	5x114.3		
488-775-6550	HS	BK			50	5x114.3		
488-775-8045	HS	BK			45	5x100		
488-775-3138	HS	BK			38	5x108		
488-880-1242	HS	BK	18	8	42	5X120		
488-880-4445	HS	BK			45	5x112		
488-880-8045	HS	BK			45	5x100		
488-880-6540	HS	BK			40	5x114.3		
488-880-6550	HS	BK			50	5x114.3		

Cap# A466-CAPCP For 5x120, Cap# A474-CAPCP-BMW



Black Machined

Cap# A75-CAPCP Cap# A475-CAPBKBMW for 5x120 Optional Domed Cap #A475-CAPCP-CV SPEC-**E**



Black Machined

17 | 18 | 20 - PERFORMANCE SERIES

CROSSOVER VEHICLE FITMENTS AVAILABLE

PART NO	D.	SIZE					
Stock Code	Black Machined			INSET	BOLT PATTERN	BORE DIAMETER	FINISH
495-775-3145	BKM			45	5x108		
495-775-5130	BKM	17	7.5	30	5x110		
495-775-6545	BKM			45	5x114.3		BLACK MACHINED
495-880-1240	BKM			40	5x120		
495-880-3140	BKM	40		40	5x108		
495-880-5130	BKM	18	8	30	5x110	72.6	
495-880-6540	BKM			40	5x114.3		
495-285-1240	BKM			40	5x120		
495-285-5130	BKM	20	8.5	30	5x110	1	
495-285-6540	BKM			40	5x114.3		

Cap# A475-CAPCP Optional Domed Cap #A475-CAPCP-CV



M52

15 | 16 | 17 | 18 - PERFORMANCE SERIES

PART	NO.					BOLT	BORE	
Stock Code	Hyper Black	Matte Black	SI	ZE	INSET	PATTERN	DIAMETER	FINISH
480-565-4938	НВ	BK	15	6.5	38	4x100		
480-670-6538	НВ	BK			38	5x114.3		
480-670-6545	НВ	BK	16	7	45	5x114.3	1	
480-670-8038	HB	BK	10	,	38	5x100		
480-670-8045	НВ	BK			45	5x100		
480-775-3138	НВ	BK			38	5x108		
480-775-4942	НВ	BK			42	4x100		
480-775-6540	НВ	BK	17	7.5	40	5x114.3		HYPER
480-775-6550	НВ	BK			50	5x114.3	72.6	BLACK OR
480-775-8045	НВ	BK			45	5x100	72.0	MATTE
480-880-1232		BK			32	5x120		BLACK
480-880-1242	НВ	BK			42	5x120		
480-880-4435	НВ	BK			35	5x112		
480-880-4445	НВ	BK	18	8	45	5x112		
480-880-5140	НВ	BK	10	0	40	5x110		
480-880-6540	НВ	BK			40	5x114.3		
480-880-6550	НВ	BK			50	5x114.3		
480-880-8045	НВ	BK			45	5x100		

Cap# A466-CAPCP Cap# for 5x120 A466-CAPCP-BMW

SPEC-E



Matte Black with Red Trim

GW8

17 | 18 - PERFORMANCE SERIES

PART NO.	SIZE		INSET	BOLT PATTERN	BORE DIAMETER	FINISH
448-770-0142BK			42	4x100/4x114.3		
448-770-0242BK	17	7	42	5x100/5x114.3		
448-770-1142BK			42	4x100/4x108	72.6	MATTE
448-875-0142BK			42	4x100/4x114.3	72.0	BLACK
448-875-0242BK	18	7.5	42	5x100/5x114.3		
448-875-1142BK			42	4x100/4x108		

Cap# A443-CAPCP

Replacement Trim	Color
A448-TRIRD-SET	Red
A448-TRICP-SET	Chrome

Both red and chrome trims are included with each wheel.



Matte Black



Hyper Silver

Silver Machined

RSF5

15 | 16 | 17 | 18 - PERFORMANCE SERIES

The inspiration for the RSF5 comes from Enkei's own RSF-2 design from the early 2000's. We've cleaned the design up, moved to a single-drill configuration, modified the center area, and changed the spoke design to terminate at the lip. This all results in an ultra-modern, clean, and sporty split 5-spoke design, finished off by a domed center cap with a black background and a chrome Enkei emblem in the middle. It is an incredibly versatile wheel that looks great on almost any car.

	PART 1	NO.					BOLT	BORE	
Stock Code	Hyper Silver	Matte Black	Silver Machined	SI	ZE	INSET	PATTERN	DIAMETER	FINISH
479-565-4938	HS	BK	SM	15	6.5	38	4x100		
479-670-4938	HS	BK	SM			38	4x100		
479-670-6538	HS	BK	SM			38	5x114.3		
479-670-6545	HS	BK	SM	16	7	45	5x114.3		
479-670-8038	HS	BK	SM			38	5x100		
479-670-8045	HS	BK	SM			45	5x100		
479-775-3238	HS	BK	SM			38	5x105		HYPER
479-775-6540	HS	BK	SM			40	5x114.3		SILVER OR
479-775-6550	HS	BK	SM	17	7.5	50	5x114.3	72.6	MATTE BLACK OR
479-775-8040	HS	BK	SM			40	5x100		SILVER
479-775-8050	HS	BK	SM			50	5x100		MACHINED
479-880-3140	HS	BK	SM			40	5x108		
479-880-6540	HS	BK	SM			40	5x114.3		
479-880-6550	HS	BK	SM	18	8	50	5x114.3		
479-880-8040	HS	BK	SM	10	٥	40	5x100		
479-880-8045	HS	BK	SM			45	5x100		
479-880-8050	HS	BK	SM			50	5x100		

Cap# A466-CAPCP

Ford, Volvo, and Chevrolet fitments available.

SPEC-**E**



Hyper Silver with Machined Lip

LUSSO 18 | 20 - PERFORMANCE SERIES

Staggered Fitment Available

PART	NO.					BOLT	BORE	
Stock Code	Black	Hyper Silver	S	IZE	INSET	PATTERN	DIAMETER	FINISH
469-875-5142	BK	HS			42	5X110		
469-875-6542	BK	HS		7.5	42	5X114.3		
469-875-8042	BK	HS			42	5X100		
469-880-1240	BK	HS	18		40	5X120		BLACK WITH MACHINED LIP OR HYPER SILVER WITH MACHINED LIP
469-880-4445	BK	HS		8	45	5X112		
469-880-6540	BK	HS			40	5X114.3	72.6	
469-890-6540	BK	HS		9	40	5X114.3	72.0	
469-285-1240	BK	HS			40	5X120		
469-285-4440	BK	HS		8.5	40	5X112		
469-285-6540	BK	HS	20		40	5X114.3		
469-295-1235	BK	HS		9.5	35	5X120		
469-295-6540	BK	HS		9.0	40	5X114.3		

Cap# A449-CAPCP Cap# A449-CAPCPBMW for 5x120





EDR9

15 | 16 | 17 | 18 - PERFORMANCE SERIES

Cruze & Sonic Fitments Available



Silver

PART	NO.		Q.	IZE	INSET	BOLT	BORE	FINISH
Stock code	Black	Silver	SIZL		INOLI	PATTERN	DIAMETER	TINIOTT
441-565-0138	BK	SP	15	G.E.	38	4x100/114.3		
441-565-0238	BK	SP	15	6.5	38	5x100/114.3		
441-670-0138	BK	SP			38	4x100/114.3		
441-670-0145	BK	SP			45	4x100/114.3		
441-670-0238	BK	SP	16	7	38	5x100/114.3		
441-670-0245	BK	SP			45	5x100/114.3		
441-670-1138	BK	SP			38	4x100/108		
441-770-0138	BK	SP			38	4x100/114.3		MATTE
441-770-0145	BK	SP		7	45	4x100/114.3	72.6	BLACK OR SILVER
441-770-0238	BK	SP	17		38	5x100/114.3		
441-770-0245	BK	SP			45	5x100/114.3		
441-770-1138	BK	SP			38	4x100/108		
441-780-0238	BK	SP			38	5x100/114.3		
441-780-0245	BK	SP	17	8	45	5x100/114.3		
441-780-2645	BK	SP	17	0	45	5x112/114.3		
441-780-5238	BK	SP			38	5x105/110		
441-875-0238	BK	SP			38	5x100/114.3		
441-875-0245	BK	SP	18	7.5	45	5x100/114.3	3	
441-875-5238	BK	SP			38	5x105/110		

Cap# A431-CAPCP

SPEC-E



EV5

17 | 18 - PERFORMANCE SERIES

PAR	T NO.						BORE	
Stock code	Hyper Black	Bronze	S	IZE	INSET	BOLT PATTERN	DIAMETER	FINISH
446-770-0138	HB	ZP			38	4x100/114.3		
446-770-0145	HB	ZP			45	4x100/114.3		HYPER
446-770-0238	HB	ZP	17	7	38	5x100/114.3		BLACK OR
446-770-0245	HB	ZP	17 /		45	5x100/114.3		MATTE
446-770-1145	HB	ZP			45	4x100/108	72.6	BRONZE
446-770-5238	HB	ZP			38	5x105/5x110		WITH
446-875-0238	HB	ZP			38	5x100/114.3		MACHINED
446-875-0245	HB	ZP	18	7.5	45	5x100/114.3		LIP
446-875-5238	HB	ZP			38	5x105/110		

Cap# A443-CAPCP

Chevy Cruze & Sonic Fitment Available





Silver Machined



18 | 20 - PERFORMANCE SERIES

CROSSOVER VEHICLE FITMENTS AVAILABLE

The SVX is all-new design territory for Enkei. With SUVs and Crossovers becoming ever more sleek and fluid in design, we created a wheel that would complement the increasingly complex lines of these vehicles. The SVX does that perfectly, utilizing five broad spokes that flare out as they reach toward the outer edge of the wheel. A v-shape milled out of the face of each spoke contours around a split toward the end of each spoke and is painted gloss black or silver to give contrast with the machined surfaces on the wheel. The wheel is finished off with Enkei's signature flat center cap. The SVX is available in black machined or silver machined and fits a wide variety of crossovers, high-offset SUVs, and even some sedans.

PART NO.						BOLT	BORE		
Stock Code	Silver Machined	Black Machined	S	IZE	INSET	PATTERN	DIAMETER	FINISH	
475-880-1240	SM	BKM			40	5x120	72.6		
475-880-6540	SM	BKM	18	8	40	5x114.3	72.0	SILVER	
475-880-7350	SM	BKM			50	5x127	71.6	MACHINED	
475-285-1240	SM	BKM			40	5x120	72.6	OR BLACK	
475-285-6540	SM	BKM	20	8.5	40	5x114.3	72.0	MACHINED	
475-285-7350	SM	BKM			50	5x127	71.6		

Cap# A475-CAPCP

Cap# A475-CAPCPBMW for 5x120
Optional Domed Cap #A475-CAPCP-CV







Hyper Silver



Gunmetal

17 7 442-770-6545HS 5X114.3 45 442-770-8045HS 45 5X100 442-875-6538HS 38 5X114.3 7.5 442-875-6545HS 45 5X114.3 442-875-8045HS 45 5X100 **HYPER** 72.6 **SILVER** 442-880-1232HS 32 5X120 18 442-880-1242HS 42 5X120 442-880-4435HS 35 5X112 8 442-880-4445HS 5X112 45 442-880-5140HS 40 5X110 442-880-6540HS 40 5X114.3 442-770-6538GM 38 5X114.3 45 17 7 442-770-6545GM 5X114.3 442-770-8045GM 45 5X100 442-875-6538GM 5X114.3 38 442-875-6545GM 7.5 45 5X114.3 442-875-8045GM 45 5X100 72.6 **GUNMETAL** 442-880-1232GM 32 5X120 442-880-1242GM 5X120 42 18 442-880-4435GM 35 5X112 8 442-880-4445GM 45 5X112 442-880-5140GM 40 5X110 40 442-880-6540GM 5X114.3

Cap# A431-CAPCP



Black Machined

FD-05

15 | 16 | 17 | 18 - PERFORMANCE SERIES

PART NO.	S	IZE	INSET	BOLT PATTERN	BORE DIAMETER	FINISH
Stock Code					DIAMETER	
434-570-4938BKM	15	7	38	4x100		
434-570-6538BKM	2	′	38	5x114.3		
434-670-4938BKM			38	4x100		
434-670-6538BKM			38	5x114.3		
434-670-6550BKM	16	7	50	5x114.3		
434-670-8038BKM			38	5x100		
434-670-8050BKM			50	5x100		
434-770-4450BKM			50	5x112		BLACK
434-770-4940BKM		7	40	4x100	72.62	MACHINED
434-770-6540BKM	17		40	5x114.3		WACITINED
434-770-6550BKM	17	′	50	5x114.3		
434-770-8040BKM			40	5x100		
434-770-8050BKM			50	5x100		
434-875-4453BKM			53	5x112		
434-875-4945BKM	18	7.5	45	4x100		
434-875-6545BKM	10	7.5	45	5x114.3		
434-875-8045BKM			45	5x100		

Cap# A434-CAPCP

SPEC-E



Silver with Machined Lip



Matte Black with Machined Lip

J10

15 | 16 | 17 | 18 - *PERFORMANCE SERIES*

PAF	RT NO.		0	IZE	INSET	BOLT	BORE	FINISH		
Stock Code	Black	Silver	SIZE		INSET	PATTERN	DIAMETER	FINISH		
409-565-01	BK	SP		38 4x100/114.3						
409-565-02	BK	SP	15	6.5	38	5x100/114.3				
409-565-03	BK	SP		0.5	38	5x108/115				
409-565-11	BK	SP			38	4x100/108				
409-670-03	BK	SP			38	5x108/115				
409-670-10	BK	SP			42	4x100/114.3				
409-670-11	BK	SP	16	7	42	4x100/108				
409-670-12	BK	SP			38	5x100/114.3		MATTE BLACK WITH		
409-670-26	BK	SP			38	5x112/114.3				
409-770-03	BK	SP			38	5x108/115	72.62	MACHINED LIP OR SILVER WITH		
409-770-10	BK	SP			42	4x100/114.3		MACHINED LIP		
409-770-11	BK	SP	17	7	7	42	4x100/108			
409-770-12	BK	SP			38	5x100/114.3				
409-770-16	BK	SP			38	5x112/120				
409-875-03	BK	SP			38	5x108/115				
409-875-10	BK	SP			42	4x100/114.3				
409-875-11	BK	SP	18	7.5	42	4x100/108				
409-875-12	BK	SP			38	5x100/114.3				
409-875-26	BK	SP			38	5x112/114.3				


Cap# A385-0000S

CLASSIC SERIES

Introducing Enkei's Classic Series. Enkei Wheels is reviving four classic wheels associated with the heydays of import car tuning. The Enkei J-Speed, ENKEI 92, Apache II and COMPE are the latest creation from the Japanese wheel manufacturer and promises to bring a new level of excitement to the wheel market.



15 - CLASSIC SERIES



Cap# A465-CAPCP

SPEC-E



J-SPEED

15 - CLASSIC SERIES

PART NO.			SIZE		INSET	BOLT	BORE	FINISH	
Stock Code	Silver	Black	SIZE		IIVSEI	PATTERN	DIAMETER	ГІІЛІЭП	
464-570-4938	SP	BK	15	7	38	4X100	72.6	SILVER OR BLACK WITH	
464-580-4925	SP	BK	15	8	25	4X100	72.6	MACHINED LIP	

Cap# for Silver finish wheel A464-CAPSP Cap# for Black finish wheel A464-CAPBK

SPEC-E

Gold





Matte Gunmetal

		100	1	CONTRACTOR	10000000	
PART NO.	SIZE		INSET	BOLT	BORE	FINISH
Stock Code			INOLI	PATTERN	DIAMETER	TINIOTT
477-555-1517GM		5.5	17	4x130	87	
477-570-4800GM			0	4x114.3	72.6	MATTE GUNMETAL
477-570-4825GM		7	25	4x114.3		
477-570-4938GM	15	1	38	4x100		
477-570-6538GM	פ		38	5x114.3		
477-580-4800GM		8	0	4x114.3		
477-580-4825GM			25	4x114.3		
477-580-4925GM			25	4x100		
477-670-4800GM		7	0	4x114.3		
477-670-4825GM			25	4x114.3		
477-670-4925GM			25	4x100		
477-670-4938GM			38	4x100		
477-670-6538GM	16		38	5x114.3		
477-680-4800GM	16	8	0	4x114.3		
477-680-4825GM			25	4x114.3		
477-680-4925GM			25	4x100		
477-680-4938GM			38	4x100		
477-680-8025GM			25	5x100		

Cap# A477-CAPCP

SPEC-E



Black w/Diamond-Cut Lip

APACHE II

15 - CLASSIC SERIES

PART NO.			SIZE		INSET	BOLT	BORE	FINISH
Stock Code	Silver	Black	0.2.2			PATTERN	DIAMETER	
471-570-4838	SM	BKM		7	38	4x114.3		011.VED 0D
471-580-4800	SM	BKM	15	8	0	4x114.3	72.6	SILVER OR BLACK MACHINED
471-580-4825	SM	BKM			25	4x114.3		
471-580-4925	SM	BKM			25	4x100		

Cap# A471-CAPCP

TRUCK & SUV SERIES

Introducing Enkei's Truck Series. While Enkei is most well known for its high-performance car wheels, it is proud to offer a range of wheels designed for trucks and SUV's as well. Enkei has applied its unrivaled engineering capabilities to come up with several designs that will stand up to the tough demands that truck and SUV drivers place on their wheels. Utilizing Enkei's world class manufacturing facilities and emphasizing function over flare, the Enkei truck series offers a great way for truck and SUV owners to add some styling to their vehicle, while maintaining the tough and rugged capabilities they count on from their wheels.



PART NO.						BOLT	BORE	
Stock Code	Silver	Matte Gunmetal	SIZE		INSET	PATTERN	DIAMETER	FINISH
470-780-6820	SM	GM		8	20	6x114.3	66.1	
470-780-7310	SM	GM	17		10	5x127	71.6	
470-780-8335	SM	GM	17		35	6x139.7	78.0	
470-780-8410	SM	GM			10	6x139.7	108.5	
470-885-5830	SM	GM	18	8.5	30	5x150	110.0	
470-885-6820	SM				20	6x114.3	66.1	
470-885-7320	SM	GM			20	5x127	71.6	
470-885-8335	SM	GM			35	6x139.7	78.0	SILVER MACHINED
470-885-8410	SM	GM			10	6x139.7	108.5	OR MATTE GUNMETAL
470-885-8420	SM	GM			20	6x139.7	108.5	
470-885-9530	SM	GM			30	6x135	87.0	
470-295-5830	SM	GM		9.5	30	5x150	110.0	
470-295-7320	SM	GM			20	5x127	71.6	
470-295-8330	SM	GM	20		30	6x139.7	78.0	
470-295-8410	SM	GM	20		10	6x139.7	108.5	
470-295-8420	SM	GM			20	6x139.7	108.5	
470-295-9530	SM	GM			30	6x135	87.0	

Cap # A453-CAPCP Cap # A449-CAPCP for 6x114.3 and 5x127

SPEC-E

Matte Gunmetal



Matte Black

BLACKHAWK

18 | 20 | 22 - TRUCK & SUV SERIES

The all-new Enkei Blackhawk is an exciting new style from Enkei. We went all-out with this truck wheel, designing it from the ground up to be as tough as possible for the toughest trucks on and off the road. Each of the Blackhawk's six spokes are reinforced as they reach toward the outer edge of the wheel, where they meet with the strengthened barrel. Available in matte black or silver and is finished off with a boldly styled cap that covers the lug nuts.

PART N	VO.		SIZE		INSET	BOLT	BORE	FINISH
Stock Code	Black	Silver	SIZE		IINSET	PATTERN	DIAMETER	FIINISH
503-885-8330	BK				30	6x139.7	78.0	
503-885-8410	BK	SP	18	8.5	10	6x139.7	108.5	
503-885-9530	BK	SP	Ī		30	6x135	87.0	
503-295-5830	BK	SP	20	9.5	30	5x150	110.0	MATTE
503-295-8330	BK	SP			30	6x139.7	78.0	
503-295-8410	BK				10	6x139.7	108.5	BLACK OR
503-295-9530	BK				30	6x135	87.0	SILVER
503-2295-5830	BK			9.5	30	5x150	110.0	
503-2295-8330	BK		22		30	6x139.7	78.0	
503-2295-8415	BK		22		15	6x139.7	108.5	
503-2295-9530	BK				30	6x135	87.0	

Cap# A503-COVBK Cap# A503-COVSP for Silver

SPEC-E



Matte Black (Limited Sizes)

M6

17 | 18 | 20 - *TRUCK & SUV SERIES*

PART NO.	SIZE		INSET	BOLT PATTERN	BORE DIAMETER	FINISH
482-780-6820MF	17	8	20	6x114.3	66.1	
482-780-7310MF			10	5x127	71.6	
482-780-8335MF	17		35	6x139.7	78.0	
482-780-8410MF			10	6x139.7	108.5	
482-885-5830MF		8.5	30	5x150	110.0	
482-885-6820MF	18		20	6x114.3	66.1	
482-885-7320MF			20	5x127	71.6	
482-885-8335MF			35	6x139.7	78.0	MIRROR
482-885-8410MF			10	6x139.7	108.5	FINISH
482-885-8420MF			20	6x139.7	108.5	1 1141011
482-885-9530MF			30	6x135	87.0	
482-290-5830MF		9	30	5x150	110.0	
482-290-7320MF	20		20	5x127	71.6	
482-290-8330MF			30	6x139.7	78.0	
482-290-8410MF			10	6x139.7	108.5	
482-290-8420MF			20	6x139.7	108.5	
482-290-9530MF			30	6x135	87.0	

CAP # A436-CAPCP CAP # A431-CAPCP FOR 6X114.3 & 5X127





Warranty: ENKEI stands behind every wheel we sell. All ENKEI products come with a lifetime structural warranty. Our limited warranty guarantees that ENKEI wheels will be free from defects in materials and workmanship under normal and reasonable use. Consult the ENKEI wheel owner's manual for complete warranty information and proper care and maintenance.

©ENKEI CORPORATION 2017. All rights reserved. ENKEI and ENKEI logo are trademarks and properties of ENKEI. No reproduction in whole or in part without written consent from ENKEI CORPORATION.

ENKEl International

1111 Executive Drive, Suite 100 Coppell, TX 75019 **800.875.3100**

